



Appliance

Appliance

The Philips Appliance bulb provides the perfect option to light your refrigerator, oven and other household appliances.

Features

- Long life and designed to withstand the extreme temperatures of household appliances.
- Available in: 25 watt frost and 40 watt clear and frost .

Application

- Ideal for refrigerators, ovens, and other household appliances.

Versions



E26, A15, Frosted



E17, T6 1/2, Clear



E17, T8, Clear



E17, T7, Clear

Versions



E26, T6 1/2, Clear



E12, T6, Clear



E26, T10, Clear



E26, T10, Frosted




B15d, T8, Clear




E12/E17/E26, A15, Clear

Dimensional drawing







Product
BC-25T8N/CL/TP
BC-25T 8/DC

Product
BC-40A15/IFL/LL 6/2
BC-40A15/LL 120V 6/2
BC-40A15/LL 120V 12/1 PS



Dimensional drawing



Product
BC-15T6/CL 145V

Product
BC-25T10/IF
BC-40T10/CL

Product
BC-25T6.5/CL/TP
BC40T8N/CL 24PK

Product
BC-15T7N 120V

General Information	
Operating Position	UNIVERSAL

Operating and Electrical

Order Code	Full Product Name	Voltage (Nom)	Power (Rated) (Nom)
925154236301	BC-40A15/IFL/LL 6/2	120 V	50 W
925172536301	BC40T8N/CL 24PK	120 V	40 W
925194236301	BC-25T8N/CL/TP	120 V	25 W
925194336301	BC-15T7N 120V	120 V	15 W
925194636301	BC-25T6.5/CL/TP	120 V	25 W
925194737202	BC-15T6/CL 145V	145 V	15 W

Order Code	Full Product Name	Voltage (Nom)	Power (Rated) (Nom)
925194836301	BC-40T10/CL	120 V	40 W
925195036301	BC-25T10/IF	120 V	25 W
925249436303	BC-25T 8/DC	120 V	25 W
925274136322	BC-40A15/LL 120V 6/2	120 V	40 W
925274136324	BC-40A15/LL 120V 12/1 PS	120 V	40 W

General Information

Order Code	Full Product Name	Cap-Base	Main Application	Rated Lifetime (Hours)
925154236301	BC-40A15/IFL/LL 6/2	E26	Appliance	2000 h
925172536301	BC40T8N/CL 24PK	E17	Exit Sign	1500 h
925194236301	BC-25T8N/CL/TP	E17	Appliance	1500 h
925194336301	BC-15T7N 120V	E17	Appliance	1500 h
925194636301	BC-25T6.5/CL/TP	E26	Showcase	1500 h
925194737202	BC-15T6/CL 145V	E12	Exit Sign	1500 h

Order Code	Full Product Name	Cap-Base	Main Application	Rated Lifetime (Hours)
925194836301	BC-40T10/CL	E26	Showcase	1500 h
925195036301	BC-25T10/IF	E26	Showcase	1500 h
925249436303	BC-25T 8/DC	B15	Decorative	1000 h
925274136322	BC-40A15/LL 120V 6/2	E26	Appliance	1750 h
925274136324	BC-40A15/LL 120V 12/1 PS	E26	Appliance	1750 h

Light Technical

Order Code	Full Product Name	Luminous Flux (Nom)
925154236301	BC-40A15/IFL/LL 6/2	365 lm
925172536301	BC40T8N/CL 24PK	400 lm
925194236301	BC-25T8N/CL/TP	195 lm
925194336301	BC-15T7N 120V	100 lm
925194636301	BC-25T6.5/CL/TP	180 lm
925194737202	BC-15T6/CL 145V	90 lm

Order Code	Full Product Name	Luminous Flux (Nom)
925194836301	BC-40T10/CL	280 lm
925195036301	BC-25T10/IF	200 lm
925249436303	BC-25T 8/DC	210 lm
925274136322	BC-40A15/LL 120V 6/2	400 lm
925274136324	BC-40A15/LL 120V 12/1 PS	400 lm

Mechanical and Housing

Order Code	Full Product Name	Bulb Finish	Bulb Shape
925154236301	BC-40A15/IFL/LL 6/2	Frosted	A-15
925172536301	BC40T8N/CL 24PK	Clear	T-6 1/2
925194236301	BC-25T8N/CL/TP	Clear	T-8 (T8)
925194336301	BC-15T7N 120V	Clear	T-7
925194636301	BC-25T6.5/CL/TP	Clear	T-6 1/2
925194737202	BC-15T6/CL 145V	Clear	T-6

Order Code	Full Product Name	Bulb Finish	Bulb Shape
925194836301	BC-40T10/CL	Clear	T-10
925195036301	BC-25T10/IF	Frosted	T-10
925249436303	BC-25T 8/DC	Clear	T-8 (T8)
925274136322	BC-40A15/LL 120V 6/2	Clear	A-15
925274136324	BC-40A15/LL 120V 12/1 PS	Clear	A-15

