



Eye-catching design for chandeliers and other decorative fixtures

MASTER LED candles and lusters

Delivering incandescent-like sparkling light effects, MASTER LED candles and lusters are ideal for general and decorative lighting in the hospitality industry as well as in home environments. Mounted in full view in chandeliers, wall scones or modern luminaires, the clear or frosted glass candles and lusters fit all existing fixtures with an E14, B15, B22 or E27 socket, and enhance the aesthetic appeal of the chandelier or luminaire both when on and off, with their unique, eye-catching lens design. They produce a beautiful sparkling warm light that delivers huge energy savings and minimizes maintenance cost.

Benefits

- Sparkling warm white light
- Up to 80% energy saving
- Lower maintenance costs

Features

- Retrofittable with existing E14, B15, B22 and E27 holders (all sockets available for candles, and E14, B22 and E27 for lusters)
- Lifetime of 25,000 hours
- The more the light is dimmed, the warmer it gets with the DimTone light effect
- Received Red Dot award 2016 (an internationally recognised quality seal rewarding products with the best design)
- Free of mercury and hazardous materials

Application

- Hotels, restaurants, bars, cafés
- Chandelier, wall scone or modern luminaire

MASTER LED candles and lusters

Versions



E14 B38 CL



E14 BA38 CL



E14 P48 CL



E27 P48 CL



B22 B38 CL



B15 B38 Clear



B22 P48 CL




E27 B38 CL



E14 P50 Clear





Dimensional drawing



Product	D	C
MASTER LEDcandle DT 6-40W E27 B38 CL	38 mm	112 mm

MASTER LED candles and lusters

Dimensional drawing



Product	D	C
MASTER LEDcandle DT 6-40W B22 B38 CL	38 mm	111 mm
MASTER LEDcandle DT 4-25W B22 B38 CL	38 mm	111 mm





Product	D	C
MASTER LEDcandle DT 6-40W E14 BA38 CL	38 mm	129 mm
MASTER LEDcandle DT 4-25W E14 BA38 CL	38 mm	129 mm

Product	D	C
MASTER LEDcandle DT 8-60W B40 E14 827 CL	40 mm	127 mm

Product	D	C
MASTER LEDlustre DT 8-60W P50 E14 827 CL	50 mm	111 mm

MASTER LED candles and lusters

Dimensional drawing



Product	C	D
MASTER LEDcandle DT 6-40W B15 B38 CL	113 mm	38 mm


Product	D	C
MAS LEDlustre DT 6-40W E14 P48 CL	48 mm	95 mm
MAS LEDlustre DT 4-25W E14 P48 CL	48 mm	95 mm

Product	D	C
MASTER LEDcandle DT 6-40W E14 B38 CL	38 mm	113 mm
MASTER LEDcandle DT 6-40W E14 B38 CL_AP	38 mm	113 mm
MASTER LEDcandle DT 4-25W E14 B38 CL	38 mm	113 mm
MASTER LEDcandle DT 4-25W E14 B38 CL_AP	38 mm	113 mm

Product	D	C
MAS LEDlustre DT 6-40W B22 P48 CL	48 mm	92 mm

MASTER LED candles and lusters

Dimensional drawing



Product	D	C
MAS LEDlustre DT 4-25W E27 P48 CL	48 mm	93 mm
MAS LEDlustre DT 6-40W E27 P48 CL	48 mm	93 mm

Approval and Application	
Energy Efficiency Label (EEL)	A+
Controls and Dimming	
Dimmable	Yes
Operating and Electrical	
Input Frequency	50 to 60 Hz
Voltage (Nom)	220-240 V
Starting Time (Nom)	0.5 s
General Information	
Switching Cycle	50000X
Light Technical	
Color Code	822-827
Correlated Color Temperature (Nom)	2200-2700 K
Color Rendering Index (Nom)	80
Lmf At End Of Nominal Lifetime (Nom)	70 %
Mechanical and Housing	
Bulb Finish	Clear

Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/1000 h
929001139802	MASTER LEDcandle DT 4-25W E14 B38 CL	4 kWh
929001139808	MASTER LEDcandle DT 4-25W E14 B38 CL_AP	4 kWh
929001140402	MASTER LEDcandle DT 6-40W E14 B38 CL	6 kWh
929001140408	MASTER LEDcandle DT 6-40W E14 B38 CL_AP	6 kWh
929001211702	MASTER LEDcandle DT 8-60W B40 E14 827 CL	8 kWh
929001139902	MASTER LEDcandle DT 4-25W E14 BA38 CL	4 kWh
929001140502	MASTER LEDcandle DT 6-40W E14 BA38 CL	6 kWh
929001140002	MAS LEDlustre DT 4-25W E14 P48 CL	4 kWh
929001140602	MAS LEDlustre DT 6-40W E14 P48 CL	6 kWh
929001140102	MAS LEDlustre DT 4-25W E27 P48 CL	4 kWh
929001140702	MAS LEDlustre DT 6-40W E27 P48 CL	6 kWh
929001140202	MASTER LEDcandle DT 4-25W B22 B38 CL	4 kWh
929001140802	MASTER LEDcandle DT 6-40W B22 B38 CL	6 kWh
929001140302	MASTER LEDcandle DT 6-40W B15 B38 CL	6 kWh
929001157302	MAS LEDlustre DT 6-40W B22 P48 CL	6 kWh
929001157902	MASTER LEDcandle DT 6-40W E27 B38 CL	6 kWh
929001211902	MAS LEDlustre DT 8-60W P50 E14 827 CL	8 kWh

Operating and Electrical

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001139802	MASTER LEDcandle DT 4-25W E14 B38 CL	25 W	4 W
929001139808	MASTER LEDcandle DT 4-25W E14 B38 CL_AP	25 W	4 W
929001140402	MASTER LEDcandle DT 6-40W E14 B38 CL	40 W	6 W
929001140408	MASTER LEDcandle DT 6-40W E14 B38 CL_AP	40 W	6 W
929001211702	MASTER LEDcandle DT 8-60W B40 E14 827 CL	60 W	8 W

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001139902	MASTER LEDcandle DT 4-25W E14 BA38 CL	25 W	4 W
929001140502	MASTER LEDcandle DT 6-40W E14 BA38 CL	40 W	6 W
929001140002	MAS LEDlustre DT 4-25W E14 P48 CL	25 W	4 W
929001140602	MAS LEDlustre DT 6-40W E14 P48 CL	40 W	6 W
929001140102	MAS LEDlustre DT 4-25W E27 P48 CL	25 W	4 W
929001140702	MAS LEDlustre DT 6-40W E27 P48 CL	40 W	6 W
929001140202	MASTER LEDcandle DT 4-25W B22 B38 CL	25 W	4 W

MASTER LED candles and lusters

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001140802	MASTER LEDcandle DT 6-40W B22 B38 CL	40 W	6 W
929001140302	MASTER LEDcandle DT 6-40W B15 B38 CL	40 W	6 W
929001157302	MAS LEDlustre DT 6-40W B22 P48 CL	40 W	6 W

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001157902	MASTER LEDcandle DT 6-40W E27 B38 CL	40 W	6 W
929001211902	MAS LEDlustre DT 8-60W P50 E14 827 CL	60 W	8 W

General Information

Order Code	Full Product Name	Cap- Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001139802	MASTER LEDcandle DT 4-25W E14 B38 CL	E14	25000 h	25000 h
929001139808	MASTER LEDcandle DT 4-25W E14 B38 CL_AP	E14	25000 h	25000 h
929001140402	MASTER LEDcandle DT 6-40W E14 B38 CL	E14	25000 h	25000 h
929001140408	MASTER LEDcandle DT 6-40W E14 B38 CL_AP	E14	25000 h	25000 h
929001211702	MASTER LEDcandle DT 8-60W B40 E14 827 CL	E14	25000 h	25000 h
929001139902	MASTER LEDcandle DT 4-25W E14 BA38 CL	E14	25000 h	25000 h
929001140502	MASTER LEDcandle DT 6-40W E14 BA38 CL	E14	25000 h	25000 h
929001140002	MAS LEDlustre DT 4-25W E14 P48 CL	E14	25000 h	25000 h
929001140602	MAS LEDlustre DT 6-40W E14 P48 CL	E14	25000 h	25000 h

Order Code	Full Product Name	Cap- Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001140102	MAS LEDlustre DT 4-25W E27 P48 CL	E27	25000 h	25000 h
929001140702	MAS LEDlustre DT 6-40W E27 P48 CL	E27	25000 h	25000 h
929001140202	MASTER LEDcandle DT 4-25W B22 B38 CL	B22	15000 h	15000 h
929001140802	MASTER LEDcandle DT 6-40W B22 B38 CL	B22	25000 h	25000 h
929001140302	MASTER LEDcandle DT 6-40W B15 B38 CL	B15	25000 h	25000 h
929001157302	MAS LEDlustre DT 6-40W B22 P48 CL	B22	25000 h	25000 h
929001157902	MASTER LEDcandle DT 6-40W E27 B38 CL	E27	25000 h	25000 h
929001211902	MAS LEDlustre DT 8-60W P50 E14 827 CL	E14	25000 h	25000 h

Light Technical

Order Code	Full Product Name	Luminous Flux (Nom)	Luminous Flux (Rated) (Nom)
929001139802	MASTER LEDcandle DT 4-25W E14 B38 CL	250 lm	250 lm
929001139808	MASTER LEDcandle DT 4-25W E14 B38 CL_AP	250 lm	250 lm
929001140402	MASTER LEDcandle DT 6-40W E14 B38 CL	470 lm	470 lm
929001140408	MASTER LEDcandle DT 6-40W E14 B38 CL_AP	470 lm	470 lm
929001211702	MASTER LEDcandle DT 8-60W B40 E14 827 CL	806 lm	806 lm
929001139902	MASTER LEDcandle DT 4-25W E14 BA38 CL	250 lm	250 lm
929001140502	MASTER LEDcandle DT 6-40W E14 BA38 CL	470 lm	470 lm
929001140002	MAS LEDlustre DT 4-25W E14 P48 CL	250 lm	250 lm

Order Code	Full Product Name	Luminous Flux (Nom)	Luminous Flux (Rated) (Nom)
929001140602	MAS LEDlustre DT 6-40W E14 P48 CL	470 lm	470 lm
929001140102	MAS LEDlustre DT 4-25W E27 P48 CL	250 lm	250 lm
929001140702	MAS LEDlustre DT 6-40W E27 P48 CL	470 lm	470 lm
929001140202	MASTER LEDcandle DT 4-25W B22 B38 CL	250 lm	250 lm
929001140802	MASTER LEDcandle DT 6-40W B22 B38 CL	470 lm	470 lm
929001140302	MASTER LEDcandle DT 6-40W B15 B38 CL	470 lm	470 lm
929001157302	MAS LEDlustre DT 6-40W B22 P48 CL	470 lm	470 lm
929001157902	MASTER LEDcandle DT 6-40W E27 B38 CL	470 lm	470 lm
929001211902	MAS LEDlustre DT 8-60W P50 E14 827 CL	806 lm	806 lm

Mechanical and Housing

MASTER LED candles and lusters

Order Code	Full Product Name	Bulb Shape
929001139802	MASTER LEDcandle DT 4-25W E14 B38 CL	B38
929001139808	MASTER LEDcandle DT 4-25W E14 B38 CL_AP	B38
929001140402	MASTER LEDcandle DT 6-40W E14 B38 CL	B38
929001140408	MASTER LEDcandle DT 6-40W E14 B38 CL_AP	B38
929001211702	MASTER LEDcandle DT 8-60W B40 E14 827 CL	B40
929001139902	MASTER LEDcandle DT 4-25W E14 BA38 CL	BA38
929001140502	MASTER LEDcandle DT 6-40W E14 BA38 CL	BA38
929001140002	MAS LEDlustre DT 4-25W E14 P48 CL	P48
929001140602	MAS LEDlustre DT 6-40W E14 P48 CL	P48


Order Code	Full Product Name	Bulb Shape
929001140102	MAS LEDlustre DT 4-25W E27 P48 CL	P48
929001140702	MAS LEDlustre DT 6-40W E27 P48 CL	P48
929001140202	MASTER LEDcandle DT 4-25W B22 B38 CL	B38
929001140802	MASTER LEDcandle DT 6-40W B22 B38 CL	B38
929001140302	MASTER LEDcandle DT 6-40W B15 B38 CL	B38
929001157302	MAS LEDlustre DT 6-40W B22 P48 CL	P48
929001157902	MASTER LEDcandle DT 6-40W E27 B38 CL	B38
929001211902	MAS LEDlustre DT 8-60W P50 E14 827 CL	P50

Temperature


Order Code	Full Product Name	T-Case Maximum (Nom)
929001139802	MASTER LEDcandle DT 4-25W E14 B38 CL	85 °C
929001139808	MASTER LEDcandle DT 4-25W E14 B38 CL_AP	85 °C
929001140402	MASTER LEDcandle DT 6-40W E14 B38 CL	95 °C
929001140408	MASTER LEDcandle DT 6-40W E14 B38 CL_AP	95 °C
929001211702	MASTER LEDcandle DT 8-60W B40 E14 827 CL	95 °C
929001139902	MASTER LEDcandle DT 4-25W E14 BA38 CL	85 °C
929001140502	MASTER LEDcandle DT 6-40W E14 BA38 CL	95 °C
929001140002	MAS LEDlustre DT 4-25W E14 P48 CL	85 °C
929001140602	MAS LEDlustre DT 6-40W E14 P48 CL	95 °C

Order Code	Full Product Name	T-Case Maximum (Nom)
929001140102	MAS LEDlustre DT 4-25W E27 P48 CL	85 °C
929001140702	MAS LEDlustre DT 6-40W E27 P48 CL	95 °C
929001140202	MASTER LEDcandle DT 4-25W B22 B38 CL	85 °C
929001140802	MASTER LEDcandle DT 6-40W B22 B38 CL	95 °C
929001140302	MASTER LEDcandle DT 6-40W B15 B38 CL	95 °C
929001157302	MAS LEDlustre DT 6-40W B22 P48 CL	95 °C
929001157902	MASTER LEDcandle DT 6-40W E27 B38 CL	95 °C
929001211902	MAS LEDlustre DT 8-60W P50 E14 827 CL	95 °C


Light Distribution Diagrams




4-25W E14 2200-2700K B38 CL




DT 4-25W E14 2200-2700K BA38 CL




DT 4-25W E14 P48 CL 250lm




DT 4-25W E27 P48 CL 250lm




MASTER LEDcandle 25W B22 822-827 CL B38




Light Distribution Diagrams




6-40W E14 2200-2700K B38 CL




DT 6-40W E14 2200-2700K BA38 CL




DT 6-40W E14 P48 CL 470lm




DT 6-40W E27 P48 CL 470lm



DT 6-40W B22 2200-2700K B38 CL



DT 6-40W B22 P48 CL 470lm



DT 6-40W E27 2200-2700K B38 CL

