



The perfect replacement for mains voltage halogen spots

MASTER VALUE LEDspot MV

Delivering a warm, halogen-like accent beam, MASTER VALUE LEDspot MV is a perfect for spot lighting. Thanks to its high CRI, it realizes more natural colors, enabling cozy and comfortable ambience for residential, hospitality and emphasize the beauty of merchandise in retail. These LEDspots have the familiar look and feel of glass spots, keeping the classic beauty of glass spots and adding the strong performance from LED technology. The dimming function enables to create the desired atmosphere and it works with broad selection of dimmers.

Benefits

- First CRI90 DimTone glass spot on the market
- Perfect replacement for traditional GU10 lamps which are banned per September 2016 by ErP directive
- Best mimic of a halogen spot for atmosphere creation

Features

- DimTone: the more you dim the warmer the light
- Compatible with an extensive range of dimmers
- Life time of 25.000 hours
- Clearly defined beam spread
- UV- and IR-free: heat reduction and protection of heat-sensitive objects

Application

- Hospitality: hotel guest room, corridors, lobby, reception area, restaurants, bars, cafes
- Home: living room, bedrooms, hall way
- Retail: exhibitions, display cabinets, shops, dressing

MASTER VALUE LEDspot MV

Versions



VLE 3.5-35 W GU10 25D



VLE 4.3-50 W GU10 25D



DimTone 4-35 W GU10 25D



DimTone 4-35 W GU10 40D



DimTone 4.5-50 W GU10 25D



DimTone 4.5-50 W GU10 40D



VLE 3.5-35 W GU10 40D



VLE 4.3-50 W GU10 40D



4-35 W, 5.4-50 W GU10



GU10 PAR16



GU10 PAR16



GU10 PAR16



GU10 PAR16



GU10 PAR16



GU10 PAR16



GU10 PAR16

MASTER VALUE LEDspot MV

Versions



GU10 PAR16



GU10 PAR16



GU10 PAR16



GU10 PAR16



GU10 PAR16



GU10 PAR16



GU10 PAR16





GU10 PAR16



GU10 PAR16




Dimensional drawing



Product	D	C
Master LED 5-50W GU10 930 36D Dim	50 mm	54 mm
Master LED 5-50W GU10 927 36D Dim	50 mm	54 mm
MAS LEDspotMV VLE CLA DT 5-50W GU10 36D	50 mm	53 mm
MAS LEDspotMV VLE CLA DT4.5-35W GU10 36D	50 mm	53 mm
MAS LED spot VLE D 3.7-35W GU10 927 36D	50 mm	54 mm
MAS LED spot VLE D 3.7-35W GU10 930 36D	50 mm	54 mm
MAS LED spot VLE D 3.7-35W GU10 940 36D	50 mm	54 mm
MAS LED spot VLE D 3.7-35W GU10 927 60D	50 mm	54 mm
MAS LED spot VLE D 3.7-35W GU10 930 60D	50 mm	54 mm
MAS LED spot VLE D 3.7-35W GU10 940 60D	50 mm	54 mm
MAS LED spot VLE D 4.9-50W GU10 927 36D	50 mm	54 mm
MAS LED spot VLE D 4.9-50W GU10 940 36D	50 mm	54 mm
MAS LED spot VLE D 4.9-50W GU10 930 36D	50 mm	54 mm
MAS LED spot VLE D 4.9-50W GU10 930 60D	50 mm	54 mm
MAS LED spot VLE D 4.9-50W GU10 927 60D	50 mm	54 mm
MAS LED spot VLE D 4.9-50W GU10 940 60D	50 mm	54 mm
MAS LED spot VLE DT 3.7-35W GU10 927 36D	50 mm	54 mm
MAS LED spot VLE DT 4.9-50W GU10 927 36D	50 mm	54 mm
MAS LED spot VLE D 7-80W GU10 830 36D	50 mm	54 mm
MAS LED spot VLE D 7-80W GU10 840 36D	50 mm	54 mm
MAS LED spot VLE D 7-80W GU10 865 36D	50 mm	54 mm
MAS LED spot VLE D 650lm GU10 830 120D	50 mm	54 mm
MAS LED spot VLE D 680lm GU10 840 120D	50 mm	54 mm
MAS LED spot VLE D 680lm GU10 865 120D	50 mm	54 mm
Master LED 5-50W GU10 940 36D Dim	50 mm	54 mm

Product	D	C
MAS LEDspotMV VLE D 4.3-50W GU10 827 25D	50 mm	55 mm
MAS LEDspotMV D 5.4-50W GU10 927 25D	50 mm	57 mm
MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	50 mm	55 mm
MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	50 mm	55 mm
MAS LEDspotMV D 5.4-50W GU10 940 40D	50 mm	57 mm
MAS LEDspotMV D 5.4-50W GU10 927 40D	50 mm	57 mm
MAS LEDspotMV VLE D 4.3-50W GU10 830 25D	50 mm	55 mm
MAS LEDspotMV D 4-35W GU10 927 25D	50 mm	57 mm
MAS LEDspotMV DimTone 4-35W GU10 40D	50 mm	55 mm
MAS LEDspotMV D 4-35W GU10 940 25D	50 mm	57 mm
MAS LEDspotMV DimTone 4.5-50W GU10 40D	50 mm	55 mm
MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	50 mm	55 mm
MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	50 mm	55 mm
MAS LEDspotMV VLE D 3.5-35W GU10 840 25D	50 mm	55 mm
MAS LEDspotMV D 4-35W GU10 930 40D	50 mm	57 mm
MAS LEDspotMV D 5.4-50W GU10 930 25D	50 mm	57 mm
MAS LEDspotMV DimTone 4.5-50W GU10 25D	50 mm	55 mm
MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	50 mm	55 mm
MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	50 mm	55 mm
MAS LEDspotMV DimTone 4-35W GU10 25D	50 mm	55 mm
MAS LEDspotMV VLE D 3.5-35W GU10 830 25D	50 mm	55 mm
MAS LEDspotMV VLE D 4.3-50W GU10 840 25D	50 mm	55 mm

Dimensional drawing



Product	D	C
MAS LEDspotMV D 4-35W GU10 927 40D	50 mm	57 mm
MAS LEDspotMV D 4-35W GU10 940 40D	50 mm	57 mm
MAS LEDspotMV D 4-35W GU10 930 25D	50 mm	57 mm
MAS LEDspotMV VLE D 3.5-35W GU10 827 25D	50 mm	55 mm
MAS LEDspotMV D 5.4-50W GU10 930 40D	50 mm	57 mm


Product	D	C
MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	50 mm	56 mm

Product	D	C
MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	50 mm	56 mm


Product	D	C
MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	50 mm	56 mm

MASTER VALUE LEDspot MV


Dimensional drawing




Product	D	C
MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	50 mm	56 mm



Product	D	C
MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	50 mm	56 mm







Product	D	C
MAS LEDspotMV VLE D 3.5-35W GU10 840 60D	50 mm	56 mm



Product	D	C
MAS LEDspotMV VLE D 3.5-35W GU10 827 60D	50 mm	56 mm

MASTER VALUE LEDspot MV

Dimensional drawing



Product	D	C
MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	50 mm	56 mm



Product	D	C
MAS LEDspotMV VLE D 3.5-25W GU10 827 40D	50 mm	56 mm

Product	D	C
MAS LEDspotMV VLE D 3.5-35W GU10 830 60D	50 mm	56 mm

Product	D	C
MAS LEDspotMV VLE D 4.3-50W GU10 840 60D	50 mm	56 mm

MASTER VALUE LEDspot MV

Dimensional drawing



Product	D	C
MAS LEDspotMV VLE D 4.3-50W GU10 830 60D	50 mm	56 mm

Product	D	C
MAS LEDspotMV VLE D 4.3-50W GU10 827 60D	50 mm	56 mm

Controls and Dimming

Dimmable	Yes
----------	-----

Operating and Electrical

Input Frequency	50 to 60 Hz
Voltage (Nom)	220-240 V
Starting Time (Nom)	0.5 s

General Information

Cap-Base	GU10
Switching Cycle	50000X

Light Technical

Lmf At End Of Nominal Lifetime (Nom)	70 %
--------------------------------------	------

Mechanical and Housing

Bulb Shape	PAR16
------------	-------

Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001129802	MAS LEDspotMV VLE D 3.5-35W GU10 827 25D	4 kWh	A++
929001129902	MAS LEDspotMV VLE D 3.5-35W GU10 830 25D	4 kWh	A++
929001130002	MAS LEDspotMV VLE D 3.5-35W GU10 840 25D	4 kWh	A++
929001130102	MAS LEDspotMV VLE D 4.3-50W GU10 827 25D	5 kWh	A++
929001130202	MAS LEDspotMV VLE D 4.3-50W GU10 830 25D	5 kWh	A++
929001130302	MAS LEDspotMV VLE D 4.3-50W GU10 840 25D	5 kWh	A++
929001130602	MAS LEDspotMV DimTone 4-35W GU10 25D	4 kWh	A+
929001130702	MAS LEDspotMV DimTone 4-35W GU10 40D	4 kWh	A+
929001130802	MAS LEDspotMV DimTone 4.5-50W GU10 25D	5 kWh	A+
929001130902	MAS LEDspotMV DimTone 4.5-50W GU10 40D	5 kWh	A+
929001137602	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	4 kWh	A++
929001137702	MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	4 kWh	A++
929001137802	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	4 kWh	A++
929001137902	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	5 kWh	A++
929001138002	MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	5 kWh	A++
929001138102	MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	5 kWh	A++
929001138602	MAS LEDspotMV D 5.4-50W GU10 927 25D	6 kWh	A+
929001138702	MAS LEDspotMV D 5.4-50W GU10 927 40D	6 kWh	A+
929001138802	MAS LEDspotMV D 5.4-50W GU10 930 25D	6 kWh	A+
929001138902	MAS LEDspotMV D 5.4-50W GU10 930 40D	6 kWh	A+
929001139102	MAS LEDspotMV D 5.4-50W GU10 940 40D	6 kWh	A+
929001139202	MAS LEDspotMV D 4-35W GU10 927 25D	4 kWh	A+
929001139302	MAS LEDspotMV D 4-35W GU10 927 40D	4 kWh	A+
929001139402	MAS LEDspotMV D 4-35W GU10 930 25D	4 kWh	A+

MASTER VALUE LEDspot MV

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001139502	MAS LEDspotMV D 4-35W GU10 930 40D	4 kWh	A+
929001139602	MAS LEDspotMV D 4-35W GU10 940 25D	4 kWh	A+
929001139702	MAS LEDspotMV D 4-35W GU10 940 40D	4 kWh	A+
929001215402	MAS LEDspotMV VLE D 3.5-25W GU10 827 40D	4 kWh	A+
929001215502	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	4 kWh	A++
929001215602	MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	4 kWh	A++
929001215702	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	4 kWh	A++
929001215802	MAS LEDspotMV VLE D 3.5-35W GU10 827 60D	4 kWh	A++
929001215902	MAS LEDspotMV VLE D 3.5-35W GU10 830 60D	4 kWh	A++
929001216002	MAS LEDspotMV VLE D 3.5-35W GU10 840 60D	4 kWh	A++
929001216102	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	5 kWh	A++
929001216202	MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	5 kWh	A++
929001216302	MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	5 kWh	A++
929001216402	MAS LEDspotMV VLE D 4.3-50W GU10 827 60D	5 kWh	A++
929001216502	MAS LEDspotMV VLE D 4.3-50W GU10 830 60D	5 kWh	A++
929001216602	MAS LEDspotMV VLE D 4.3-50W GU10 840 60D	5 kWh	A++
929001278502	MAS LEDspotMV VLE CLA DT4.5-35W GU10 36D	5 kWh	A+
929001278602	MAS LEDspotMV VLE CLA DT 5-50W GU10 36D	5 kWh	A+
929001348202	MAS LED spot VLE D 3.7-35W GU10 927 36D	4 kWh	A+
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	4 kWh	A+
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	4 kWh	A++
929001348502	MAS LED spot VLE D 3.7-35W GU10 927 60D	4 kWh	A+
929001348602	MAS LED spot VLE D 3.7-35W GU10 930 60D	4 kWh	A+
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	4 kWh	A++
929001348802	MAS LED spot VLE D 4.9-50W GU10 927 36D	5 kWh	A+
929001348808	Master LED 5-50W GU10 927 36D Dim	5 kWh	A+
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	5 kWh	A+
929001348908	Master LED 5-50W GU10 930 36D Dim	5 kWh	A+
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	5 kWh	A+
929001349008	Master LED 5-50W GU10 940 36D Dim	5 kWh	A+
929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	5 kWh	A+
929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	5 kWh	A+
929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	5 kWh	A+
929001349402	MAS LED spot VLE D 7-80W GU10 830 36D	7 kWh	A+
929001349502	MAS LED spot VLE D 7-80W GU10 840 36D	7 kWh	A+
929001349602	MAS LED spot VLE D 7-80W GU10 865 36D	7 kWh	A+
929001350002	MAS LED spot VLE DT 3.7-35W GU10 927 36D	4 kWh	A+
929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	5 kWh	A+
929001349702	MAS LED spot VLE D 650lm GU10 830 120D	7 kWh	A+
929001349802	MAS LED spot VLE D 680lm GU10 840 120D	7 kWh	A+
929001349902	MAS LED spot VLE D 680lm GU10 865 120D	7 kWh	A+

Operating and Electrical

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)	Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001129802	MAS LEDspotMV VLE D 3.5-35W GU10 827 25D	35 W	3.5 W	929001130002	MAS LEDspotMV VLE D 3.5-35W GU10 840 25D	35 W	3.5 W
929001129902	MAS LEDspotMV VLE D 3.5-35W GU10 830 25D	35 W	3.5 W	929001130102	MAS LEDspotMV VLE D 4.3-50W GU10 827 25D	50 W	4.3 W

MASTER VALUE LEDspot MV

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001130202	MAS LEDspotMV VLE D 4.3-50W GU10 830 25D	50 W	4.3 W
929001130302	MAS LEDspotMV VLE D 4.3-50W GU10 840 25D	50 W	4.3 W
929001130602	MAS LEDspotMV DimTone 4-35W GU10 25D	35 W	4 W
929001130702	MAS LEDspotMV DimTone 4-35W GU10 40D	35 W	4 W
929001130802	MAS LEDspotMV DimTone 4.5-50W GU10 25D	50 W	4.5 W
929001130902	MAS LEDspotMV DimTone 4.5-50W GU10 40D	50 W	4.5 W
929001137602	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	35 W	3.5 W
929001137702	MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	35 W	3.5 W
929001137802	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	35 W	3.5 W
929001137902	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	50 W	4.3 W
929001138002	MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	50 W	4.3 W
929001138102	MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	50 W	4.3 W
929001138602	MAS LEDspotMV D 5.4-50W GU10 927 25D	50 W	5.4 W
929001138702	MAS LEDspotMV D 5.4-50W GU10 927 40D	50 W	5.4 W
929001138802	MAS LEDspotMV D 5.4-50W GU10 930 25D	50 W	5.4 W
929001138902	MAS LEDspotMV D 5.4-50W GU10 930 40D	50 W	5.4 W
929001139102	MAS LEDspotMV D 5.4-50W GU10 940 40D	50 W	5.4 W
929001139202	MAS LEDspotMV D 4-35W GU10 927 25D	35 W	4 W
929001139302	MAS LEDspotMV D 4-35W GU10 927 40D	35 W	4 W
929001139402	MAS LEDspotMV D 4-35W GU10 930 25D	35 W	4 W
929001139502	MAS LEDspotMV D 4-35W GU10 930 40D	35 W	4 W
929001139602	MAS LEDspotMV D 4-35W GU10 940 25D	35 W	4 W
929001139702	MAS LEDspotMV D 4-35W GU10 940 40D	35 W	4 W
929001215402	MAS LEDspotMV VLE D 3.5-25W GU10 827 40D	25 W	3.5 W
929001215502	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	35 W	3.5 W

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001215602	MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	35 W	3.5 W
929001215702	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	35 W	3.5 W
929001215802	MAS LEDspotMV VLE D 3.5-35W GU10 827 60D	35 W	3.5 W
929001215902	MAS LEDspotMV VLE D 3.5-35W GU10 830 60D	35 W	3.5 W
929001216002	MAS LEDspotMV VLE D 3.5-35W GU10 840 60D	35 W	3.5 W
929001216102	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	50 W	4.3 W
929001216202	MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	50 W	4.3 W
929001216302	MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	50 W	4.3 W
929001216402	MAS LEDspotMV VLE D 4.3-50W GU10 827 60D	50 W	4.3 W
929001216502	MAS LEDspotMV VLE D 4.3-50W GU10 830 60D	50 W	4.3 W
929001216602	MAS LEDspotMV VLE D 4.3-50W GU10 840 60D	50 W	4.3 W
929001278502	MAS LEDspotMV VLE CLA DT4.5-35W GU10 36D	35 W	4.5 W
929001278602	MAS LEDspotMV VLE CLA DT 5-50W GU10 36D	50 W	5 W
929001348202	MAS LED spot VLE D 3.7-35W GU10 927 36D	35 W	3.7 W
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	35 W	3.7 W
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	35 W	3.7 W
929001348502	MAS LED spot VLE D 3.7-35W GU10 927 60D	35 W	3.7 W
929001348602	MAS LED spot VLE D 3.7-35W GU10 930 60D	35 W	3.7 W
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	35 W	3.7 W
929001348802	MAS LED spot VLE D 4.9-50W GU10 927 36D	50 W	4.9 W
929001348808	Master LED 5-50W GU10 927 36D Dim	50 W	5 W
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	50 W	4.9 W
929001348908	Master LED 5-50W GU10 930 36D Dim	50 W	5 W
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	50 W	4.9 W
929001349008	Master LED 5-50W GU10 940 36D Dim	50 W	5 W
929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	50 W	4.9 W
929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	50 W	4.9 W

MASTER VALUE LEDspot MV

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	50 W	4.9 W
929001349402	MAS LED spot VLE D 7-80W GU10 830 36D	80 W	7 W
929001349502	MAS LED spot VLE D 7-80W GU10 840 36D	80 W	7 W
929001349602	MAS LED spot VLE D 7-80W GU10 865 36D	80 W	7 W
929001350002	MAS LED spot VLE DT 3.7-35W GU10 927 36D	35 W	3.7 W

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	50 W	4.9 W
929001349702	MAS LED spot VLE D 650lm GU10 830 120D	-	7 W
929001349802	MAS LED spot VLE D 680lm GU10 840 120D	-	7 W
929001349902	MAS LED spot VLE D 680lm GU10 865 120D	-	7 W

General Information

Order Code	Full Product Name	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001129802	MAS LEDspotMV VLE D 3.5-35W GU10 827 25D	35000 h	35000 h
929001129902	MAS LEDspotMV VLE D 3.5-35W GU10 830 25D	35000 h	35000 h
929001130002	MAS LEDspotMV VLE D 3.5-35W GU10 840 25D	35000 h	35000 h
929001130102	MAS LEDspotMV VLE D 4.3-50W GU10 827 25D	35000 h	35000 h
929001130202	MAS LEDspotMV VLE D 4.3-50W GU10 830 25D	35000 h	35000 h
929001130302	MAS LEDspotMV VLE D 4.3-50W GU10 840 25D	35000 h	35000 h
929001130602	MAS LEDspotMV DimTone 4-35W GU10 25D	50000 h	50000 h
929001130702	MAS LEDspotMV DimTone 4-35W GU10 40D	50000 h	50000 h
929001130802	MAS LEDspotMV DimTone 4.5-50W GU10 25D	50000 h	50000 h
929001130902	MAS LEDspotMV DimTone 4.5-50W GU10 40D	50000 h	50000 h
929001137602	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	35000 h	35000 h
929001137702	MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	35000 h	35000 h
929001137802	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	35000 h	35000 h
929001137902	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	35000 h	35000 h
929001138002	MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	35000 h	35000 h
929001138102	MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	35000 h	35000 h
929001138602	MAS LEDspotMV D 5.4-50W GU10 927 25D	50000 h	50000 h
929001138702	MAS LEDspotMV D 5.4-50W GU10 927 40D	50000 h	50000 h

Order Code	Full Product Name	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001138802	MAS LEDspotMV D 5.4-50W GU10 930 25D	50000 h	50000 h
929001138902	MAS LEDspotMV D 5.4-50W GU10 930 40D	50000 h	50000 h
929001139102	MAS LEDspotMV D 5.4-50W GU10 940 40D	50000 h	50000 h
929001139202	MAS LEDspotMV D 4-35W GU10 927 25D	50000 h	50000 h
929001139302	MAS LEDspotMV D 4-35W GU10 927 40D	50000 h	50000 h
929001139402	MAS LEDspotMV D 4-35W GU10 930 25D	50000 h	50000 h
929001139502	MAS LEDspotMV D 4-35W GU10 930 40D	50000 h	50000 h
929001139602	MAS LEDspotMV D 4-35W GU10 940 25D	50000 h	50000 h
929001139702	MAS LEDspotMV D 4-35W GU10 940 40D	50000 h	50000 h
929001215402	MAS LEDspotMV VLE D 3.5-25W GU10 827 40D	35000 h	35000 h
929001215502	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	35000 h	35000 h
929001215602	MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	35000 h	35000 h
929001215702	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	35000 h	35000 h
929001215802	MAS LEDspotMV VLE D 3.5-35W GU10 827 60D	35000 h	35000 h
929001215902	MAS LEDspotMV VLE D 3.5-35W GU10 830 60D	35000 h	35000 h
929001216002	MAS LEDspotMV VLE D 3.5-35W GU10 840 60D	35000 h	35000 h
929001216102	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	35000 h	35000 h
929001216202	MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	35000 h	35000 h
929001216302	MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	35000 h	35000 h
929001216402	MAS LEDspotMV VLE D 4.3-50W GU10 827 60D	35000 h	35000 h
929001216502	MAS LEDspotMV VLE D 4.3-50W GU10 830 60D	35000 h	35000 h

MASTER VALUE LEDspot MV

Order Code	Full Product Name	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001216602	MAS LEDspotMV VLE D 4.3-50W GU10 840 60D	35000 h	35000 h
929001278502	MAS LEDspotMV VLE CLA DT4.5-35W GU10 36D	25000 h	25000 h
929001278602	MAS LEDspotMV VLE CLA DT 5-50W GU10 36D	25000 h	25000 h
929001348202	MAS LED spot VLE D 3.7-35W GU10 927 36D	25000 h	25000 h
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	25000 h	25000 h
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	25000 h	25000 h
929001348502	MAS LED spot VLE D 3.7-35W GU10 927 60D	25000 h	25000 h
929001348602	MAS LED spot VLE D 3.7-35W GU10 930 60D	25000 h	25000 h
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	25000 h	25000 h
929001348802	MAS LED spot VLE D 4.9-50W GU10 927 36D	25000 h	25000 h
929001348808	Master LED 5-50W GU10 927 36D Dim	25000 h	25000 h
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	25000 h	25000 h
929001348908	Master LED 5-50W GU10 930 36D Dim	25000 h	25000 h
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	25000 h	25000 h

Order Code	Full Product Name	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001349008	Master LED 5-50W GU10 940 36D Dim	25000 h	25000 h
929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	25000 h	25000 h
929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	25000 h	25000 h
929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	25000 h	25000 h
929001349402	MAS LED spot VLE D 7-80W GU10 830 36D	25000 h	25000 h
929001349502	MAS LED spot VLE D 7-80W GU10 840 36D	25000 h	25000 h
929001349602	MAS LED spot VLE D 7-80W GU10 865 36D	25000 h	25000 h
929001350002	MAS LED spot VLE DT 3.7-35W GU10 927 36D	25000 h	25000 h
929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	25000 h	25000 h
929001349702	MAS LED spot VLE D 650lm GU10 830 120D	25000 h	25000 h
929001349802	MAS LED spot VLE D 680lm GU10 840 120D	25000 h	25000 h
929001349902	MAS LED spot VLE D 680lm GU10 865 120D	25000 h	25000 h

Light Technical (1/2)

Order Code	Full Product Name	Beam Angle (Nom)	Color Code	Correlated Color Temperature (Nom)	Color Rendering Index (Nom)
929001129802	MAS LEDspotMV VLE D 3.5-35W GU10 827 25D	25 °	827	2700 K	80
929001129902	MAS LEDspotMV VLE D 3.5-35W GU10 830 25D	25 °	830	3000 K	80
929001130002	MAS LEDspotMV VLE D 3.5-35W GU10 840 25D	25 °	840	4000 K	80
929001130102	MAS LEDspotMV VLE D 4.3-50W GU10 827 25D	25 °	827	2700 K	80
929001130202	MAS LEDspotMV VLE D 4.3-50W GU10 830 25D	25 °	830	3000 K	80
929001130302	MAS LEDspotMV VLE D 4.3-50W GU10 840 25D	25 °	840	4000 K	80
929001130602	MAS LEDspotMV DimTone 4-35W GU10 25D	25 °	822-827	2200-2700 K	80
929001130702	MAS LEDspotMV DimTone 4-35W GU10 40D	40 °	822-827	2200-2700 K	80

Order Code	Full Product Name	Beam Angle (Nom)	Color Code	Correlated Color Temperature (Nom)	Color Rendering Index (Nom)
929001130802	MAS LEDspotMV DimTone 4.5-50W GU10 25D	25 °	822-827	2200-2700 K	80
929001130902	MAS LEDspotMV DimTone 4.5-50W GU10 40D	40 °	822-827	2200-2700 K	80
929001137602	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	40 °	827	2700 K	80
929001137702	MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	40 °	830	3000 K	80
929001137802	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	40 °	840	4000 K	80
929001137902	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	40 °	827	2700 K	80
929001138002	MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	40 °	830	3000 K	80
929001138102	MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	40 °	840	4000 K	80

MASTER VALUE LEDspot MV

Order Code	Full Product Name	Beam Angle (Nom)	Color Code	Correlated Color Temperature (Nom)	Color Rendering Index (Nom)
929001138602	MAS LEDspotMV D 5.4-50W GU10 927 25D	25 °	927	2700 K	90
929001138702	MAS LEDspotMV D 5.4-50W GU10 927 40D	40 °	927	2700 K	90
929001138802	MAS LEDspotMV D 5.4-50W GU10 930 25D	25 °	930	3000 K	90
929001138902	MAS LEDspotMV D 5.4-50W GU10 930 40D	40 °	930	3000 K	90
929001139102	MAS LEDspotMV D 5.4-50W GU10 940 40D	40 °	940	4000 K	90
929001139202	MAS LEDspotMV D 4-35W GU10 927 25D	25 °	927	2700 K	90
929001139302	MAS LEDspotMV D 4-35W GU10 927 40D	40 °	927	2700 K	90
929001139402	MAS LEDspotMV D 4-35W GU10 930 25D	25 °	930	3000 K	90
929001139502	MAS LEDspotMV D 4-35W GU10 930 40D	40 °	930	3000 K	90
929001139602	MAS LEDspotMV D 4-35W GU10 940 25D	25 °	940	4000 K	90
929001139702	MAS LEDspotMV D 4-35W GU10 940 40D	40 °	940	4000 K	90
929001215402	MAS LEDspotMV VLE D 3.5-25W GU10 827 40D	40 °	827	2700 K	80
929001215502	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	40 °	827	2700 K	80
929001215602	MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	40 °	830	3000 K	80
929001215702	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	40 °	840	4000 K	80
929001215802	MAS LEDspotMV VLE D 3.5-35W GU10 827 60D	60 °	827	2700 K	80
929001215902	MAS LEDspotMV VLE D 3.5-35W GU10 830 60D	60 °	830	3000 K	80
929001216002	MAS LEDspotMV VLE D 3.5-35W GU10 840 60D	60 °	840	4000 K	80
929001216102	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	40 °	827	2700 K	80
929001216202	MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	40 °	830	3000 K	80
929001216302	MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	40 °	840	4000 K	80
929001216402	MAS LEDspotMV VLE D 4.3-50W GU10 827 60D	60 °	827	2700 K	80
929001216502	MAS LEDspotMV VLE D 4.3-50W GU10 830 60D	60 °	830	3000 K	80
929001216602	MAS LEDspotMV VLE D 4.3-50W GU10 840 60D	60 °	840	4000 K	80
929001278502	MAS LEDspotMV VLE CLA DT4.5-35W GU10 36D	36 °	822-827	2200-2700 K	80

Order Code	Full Product Name	Beam Angle (Nom)	Color Code	Correlated Color Temperature (Nom)	Color Rendering Index (Nom)
929001278602	MAS LEDspotMV VLE CLA DT 5-50W GU10 36D	36 °	822-827	2200-2700 K	80
929001348202	MAS LED spot VLE D 3.7-35W GU10 927 36D	36 °	927	2700 K	90
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	36 °	930	3000 K	90
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	36 °	940	4000 K	90
929001348502	MAS LED spot VLE D 3.7-35W GU10 927 60D	60 °	927	2700 K	90
929001348602	MAS LED spot VLE D 3.7-35W GU10 930 60D	60 °	930	3000 K	90
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	60 °	940	4000 K	90
929001348802	MAS LED spot VLE D 4.9-50W GU10 927 36D	36 °	927	2700 K	90
929001348808	Master LED 5-50W GU10 927 36D Dim	36 °	927	2700 K	90
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	36 °	930	3000 K	90
929001348908	Master LED 5-50W GU10 930 36D Dim	36 °	930	3000 K	90
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	36 °	940	4000 K	90
929001349008	Master LED 5-50W GU10 940 36D Dim	36 °	940	4000 K	90
929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	60 °	927	2700 K	90
929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	60 °	930	3000 K	90
929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	60 °	940	4000 K	90
929001349402	MAS LED spot VLE D 7-80W GU10 830 36D	36 °	830	3000 K	80
929001349502	MAS LED spot VLE D 7-80W GU10 840 36D	36 °	840	4000 K	80
929001349602	MAS LED spot VLE D 7-80W GU10 865 36D	36 °	865	6500 K	80
929001350002	MAS LED spot VLE DT 3.7-35W GU10 927 36D	36 °	922-927	2200-2700 K	90
929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	36 °	922-927	2200-2700 K	90
929001349702	MAS LED spot VLE D 650lm GU10 830 120D	120 °	830	3000 K	80
929001349802	MAS LED spot VLE D 680lm GU10 840 120D	120 °	840	4000 K	80
929001349902	MAS LED spot VLE D 680lm GU10 865 120D	120 °	865	6500 K	80

MASTER VALUE LEDspot MV

Light Technical (2/2)

Order Code	Full Product Name	Light Distribution	Luminous Flux (Nom)	Luminous		
				Flux (Rated)	Luminous Intensity (Nom)	Rated Beam Angle
929001129802	MAS LEDspotMV VLE D 3.5-35W GU10 827 25D	Medium beam 25°	280 lm	280 lm	1000 cd	25 °
929001129902	MAS LEDspotMV VLE D 3.5-35W GU10 830 25D	Medium beam 25°	290 lm	290 lm	1000 cd	25 °
929001130002	MAS LEDspotMV VLE D 3.5-35W GU10 840 25D	Medium beam 25°	310 lm	310 lm	1000 cd	25 °
929001130102	MAS LEDspotMV VLE D 4.3-50W GU10 827 25D	Medium beam 25°	380 lm	380 lm	1400 cd	25 °
929001130202	MAS LEDspotMV VLE D 4.3-50W GU10 830 25D	Medium beam 25°	390 lm	390 lm	1400 cd	25 °
929001130302	MAS LEDspotMV VLE D 4.3-50W GU10 840 25D	Medium beam 25°	420 lm	420 lm	1400 cd	25 °
929001130602	MAS LEDspotMV DimTone 4-35W GU10 25D	Medium beam 25°	305 lm	305 lm	1000 cd	25 °
929001130702	MAS LEDspotMV DimTone 4-35W GU10 40D	Wide beam 40°	305 lm	305 lm	600 cd	40 °
929001130802	MAS LEDspotMV DimTone 4.5-50W GU10 25D	Medium beam 25°	385 lm	385 lm	1400 cd	25 °
929001130902	MAS LEDspotMV DimTone 4.5-50W GU10 40D	Wide beam 40°	385 lm	385 lm	800 cd	40 °
929001137602	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	Wide beam 40°	280 lm	280 lm	600 cd	40 °
929001137702	MAS LEDspotMV VLE 40°	Wide beam 40°	290 lm	290 lm	600 cd	40 °

Order Code	Full Product Name	Light Distribution	Luminous Flux (Nom)	Luminous		
				Flux (Rated)	Luminous Intensity (Nom)	Rated Beam Angle
929001137802	MAS D 3.5-35W GU10 830 40D	Wide beam 40°	310 lm	310 lm	600 cd	40 °
929001137902	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	Wide beam 40°	380 lm	380 lm	800 cd	40 °
929001138002	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	Wide beam 40°	390 lm	390 lm	800 cd	40 °
929001138102	MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	Wide beam 40°	420 lm	420 lm	800 cd	40 °
929001138602	MAS LEDspotMV D 5.4-50W GU10 927 25D	Medium beam 25°	395 lm	395 lm	1350 cd	25 °
929001138702	MAS LEDspotMV D 5.4-50W GU10 927 40D	Wide beam 40°	402 lm	402 lm	800 cd	40 °
929001138802	MAS LEDspotMV D 5.4-50W GU10 930 25D	Medium beam 25°	395 lm	395 lm	1350 cd	25 °
929001138902	MAS LEDspotMV D 5.4-50W GU10 930 40D	Wide beam 40°	402 lm	402 lm	800 cd	40 °
929001139102	MAS LEDspotMV D 5.4-50W GU10 940 40D	Wide beam 40°	416 lm	416 lm	830 cd	40 °
929001139202	MAS LEDspotMV D 4-35W GU10 927 25D	Medium beam 25°	272 lm	272 lm	925 cd	25 °
929001139302	MAS LEDspotMV D 4-35W GU10 927 40D	Wide beam 40°	279 lm	279 lm	560 cd	40 °
929001139402	MAS LEDspotMV D 40°	Medium beam 25°	282 lm	282 lm	962 cd	25 °

MASTER VALUE LEDspot MV

Order Code	Full Product Name	Light Distribution	Luminous Flux (Nom)	Luminous		Rated Beam Angle
				Flux (Rated)	Luminous Intensity (Nom)	
	4-35W GU10 930 25D					
929001139502	MAS LEDspotMV D 4-35W GU10 930 40D	Wide beam 40°	290 lm	290 lm	582 cd	40 °
929001139602	MAS LEDspotMV D 4-35W GU10 940 25D	Medium beam 25°	307 lm	307 lm	1040 cd	25 °
929001139702	MAS LEDspotMV D 4-35W GU10 940 40D	Wide beam 40°	314 lm	314 lm	624 cd	40 °
929001215402	MAS LEDspotMV VLE D 3.5-25W GU10 827 40D	-	230 lm	230 lm	400 cd	40 °
929001215502	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	-	305 lm	305 lm	550 cd	40 °
929001215602	MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	-	315 lm	315 lm	550 cd	40 °
929001215702	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	-	330 lm	330 lm	550 cd	40 °
929001215802	MAS LEDspotMV VLE D 3.5-35W GU10 827 60D	-	305 lm	305 lm	350 cd	60 °
929001215902	MAS LEDspotMV VLE D 3.5-35W GU10 830 60D	-	315 lm	315 lm	350 cd	60 °
929001216002	MAS LEDspotMV VLE D 3.5-35W GU10 840 60D	-	330 lm	330 lm	350 cd	60 °
929001216102	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	-	420 lm	420 lm	750 cd	40 °
929001216202	MAS LEDspotMV VLE	-	430 lm	430 lm	750 cd	40 °

Order Code	Full Product Name	Light Distribution	Luminous Flux (Nom)	Luminous		Rated Beam Angle
				Flux (Rated)	Luminous Intensity (Nom)	
	D 4.3-50W GU10 830 40D					
929001216302	MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	-	450 lm	450 lm	750 cd	40 °
929001216402	MAS LEDspotMV VLE D 4.3-50W GU10 827 60D	-	420 lm	420 lm	450 cd	60 °
929001216502	MAS LEDspotMV VLE D 4.3-50W GU10 830 60D	-	430 lm	430 lm	450 cd	60 °
929001216602	MAS LEDspotMV VLE D 4.3-50W GU10 840 60D	-	450 lm	450 lm	450 cd	60 °
929001278502	MAS LEDspotMV VLE CLA DT4.5-35W GU10 36D	-	245 lm	245 lm	450 cd	36 °
929001278602	MAS LEDspotMV VLE CLA DT 5-50W GU10 36D	-	345 lm	345 lm	600 cd	36 °
929001348202	MAS LED spot VLE D 3.7-35W GU10 927 36D	-	260 lm	260 lm	500 cd	36 °
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	-	270 lm	270 lm	500 cd	36 °
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	-	285 lm	285 lm	500 cd	36 °
929001348502	MAS LED spot VLE D 3.7-35W GU10 927 60D	-	260 lm	260 lm	330 cd	60 °
929001348602	MAS LED spot VLE D 3.7-35W GU10 930 60D	-	270 lm	270 lm	340 cd	60 °
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	-	285 lm	285 lm	350 cd	60 °
929001348802	MAS LED spot VLE D 4.9-50W GU10 927 36D	-	355 lm	355 lm	650 cd	36 °

MASTER VALUE LEDspot MV

Order Code	Full Product Name	Light Distribution	Luminous			
			Luminous Flux (Rated)	Luminous Intensity (Nom)	Rated Beam Angle	
929001348808	Master LED 5-50W GU10 927 36D Dim	-	395 lm	395 lm	650 cd	36 °
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	-	365 lm	365 lm	650 cd	36 °
929001348908	Master LED 5-50W GU10 930 36D Dim	-	405 lm	405 lm	650 cd	36 °
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	-	380 lm	380 lm	700 cd	36 °
929001349008	Master LED 5-50W GU10 940 36D Dim	-	420 lm	420 lm	700 cd	36 °
929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	-	355 lm	355 lm	400 cd	60 °
929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	-	365 lm	365 lm	400 cd	60 °
929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	-	380 lm	380 lm	400 cd	60 °

Order Code	Full Product Name	Light Distribution	Luminous			
			Luminous Flux (Rated)	Luminous Intensity (Nom)	Rated Beam Angle	
929001349402	MAS LED spot VLE D 7-80W GU10 830 36D	-	590 lm	590 lm	1200 cd	36 °
929001349502	MAS LED spot VLE D 7-80W GU10 840 36D	-	610 lm	610 lm	1200 cd	36 °
929001349602	MAS LED spot VLE D 7-80W GU10 865 36D	-	610 lm	610 lm	1200 cd	36 °
929001350002	MAS LED spot VLE DT 3.7-35W GU10 927 36D	-	260 lm	260 lm	500 cd	36 °
929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	-	355 lm	355 lm	650 cd	36 °
929001349702	MAS LED spot VLE D 650lm GU10 830 120D	-	650 lm	650 lm	-	-
929001349802	MAS LED spot VLE D 680lm GU10 840 120D	-	680 lm	680 lm	-	-
929001349902	MAS LED spot VLE D 680lm GU10 865 120D	-	680 lm	680 lm	-	-

Temperature


Order Code	Full Product Name	T-Case Maximum (Nom)
929001129802	MAS LEDspotMV VLE D 3.5-35W GU10 827 25D	79 °C
929001129902	MAS LEDspotMV VLE D 3.5-35W GU10 830 25D	79 °C
929001130002	MAS LEDspotMV VLE D 3.5-35W GU10 840 25D	79 °C
929001130102	MAS LEDspotMV VLE D 4.3-50W GU10 827 25D	83 °C
929001130202	MAS LEDspotMV VLE D 4.3-50W GU10 830 25D	83 °C
929001130302	MAS LEDspotMV VLE D 4.3-50W GU10 840 25D	83 °C
929001130602	MAS LEDspotMV DimTone 4-35W GU10 25D	70 °C
929001130702	MAS LEDspotMV DimTone 4-35W GU10 40D	70 °C
929001130802	MAS LEDspotMV DimTone 4.5-50W GU10 25D	75 °C
929001130902	MAS LEDspotMV DimTone 4.5-50W GU10 40D	75 °C
929001137602	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	79 °C
929001137702	MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	79 °C
929001137802	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	79 °C
929001137902	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	83 °C
929001138002	MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	83 °C
929001138102	MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	83 °C
929001138602	MAS LEDspotMV D 5.4-50W GU10 927 25D	91 °C
929001138702	MAS LEDspotMV D 5.4-50W GU10 927 40D	91 °C
929001138802	MAS LEDspotMV D 5.4-50W GU10 930 25D	91 °C
929001138902	MAS LEDspotMV D 5.4-50W GU10 930 40D	91 °C
929001139102	MAS LEDspotMV D 5.4-50W GU10 940 40D	91 °C

Order Code	Full Product Name	T-Case Maximum (Nom)
929001139202	MAS LEDspotMV D 4-35W GU10 927 25D	90 °C
929001139302	MAS LEDspotMV D 4-35W GU10 927 40D	90 °C
929001139402	MAS LEDspotMV D 4-35W GU10 930 25D	90 °C
929001139502	MAS LEDspotMV D 4-35W GU10 930 40D	90 °C
929001139602	MAS LEDspotMV D 4-35W GU10 940 25D	90 °C
929001139702	MAS LEDspotMV D 4-35W GU10 940 40D	90 °C
929001215402	MAS LEDspotMV VLE D 3.5-25W GU10 827 40D	80 °C
929001215502	MAS LEDspotMV VLE D 3.5-35W GU10 827 40D	80 °C
929001215602	MAS LEDspotMV VLE D 3.5-35W GU10 830 40D	80 °C
929001215702	MAS LEDspotMV VLE D 3.5-35W GU10 840 40D	80 °C
929001215802	MAS LEDspotMV VLE D 3.5-35W GU10 827 60D	80 °C
929001215902	MAS LEDspotMV VLE D 3.5-35W GU10 830 60D	80 °C
929001216002	MAS LEDspotMV VLE D 3.5-35W GU10 840 60D	80 °C
929001216102	MAS LEDspotMV VLE D 4.3-50W GU10 827 40D	80 °C
929001216202	MAS LEDspotMV VLE D 4.3-50W GU10 830 40D	80 °C
929001216302	MAS LEDspotMV VLE D 4.3-50W GU10 840 40D	80 °C
929001216402	MAS LEDspotMV VLE D 4.3-50W GU10 827 60D	80 °C
929001216502	MAS LEDspotMV VLE D 4.3-50W GU10 830 60D	80 °C
929001216602	MAS LEDspotMV VLE D 4.3-50W GU10 840 60D	80 °C
929001278502	MAS LEDspotMV VLE CLA DT4.5-35W GU10 36D	80 °C
929001278602	MAS LEDspotMV VLE CLA DT 5-50W GU10 36D	80 °C


MASTER VALUE LEDspot MV

Order Code	Full Product Name	T-Case Maximum (Nom)	Order Code	Full Product Name	T-Case Maximum (Nom)
929001348202	MAS LED spot VLE D 3.7-35W GU10 927 36D	80 °C	929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	80 °C
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	80 °C	929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	80 °C
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	80 °C	929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	80 °C
929001348502	MAS LED spot VLE D 3.7-35W GU10 927 60D	80 °C	929001349402	MAS LED spot VLE D 7-80W GU10 830 36D	85 °C
929001348602	MAS LED spot VLE D 3.7-35W GU10 930 60D	80 °C	929001349502	MAS LED spot VLE D 7-80W GU10 840 36D	85 °C
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	80 °C	929001349602	MAS LED spot VLE D 7-80W GU10 865 36D	85 °C
929001348802	MAS LED spot VLE D 4.9-50W GU10 927 36D	80 °C	929001350002	MAS LED spot VLE DT 3.7-35W GU10 927 36D	80 °C
929001348808	Master LED 5-50W GU10 927 36D Dim	80 °C	929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	80 °C
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	80 °C	929001349702	MAS LED spot VLE D 650lm GU10 830 120D	85 °C
929001348908	Master LED 5-50W GU10 930 36D Dim	80 °C	929001349802	MAS LED spot VLE D 680lm GU10 840 120D	85 °C
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	80 °C	929001349902	MAS LED spot VLE D 680lm GU10 865 120D	85 °C
929001349008	Master LED 5-50W GU10 940 36D Dim	80 °C			


Light Distribution Diagrams




VLE D 3.5-35W GU10 25D




VLE D 4.3-50W GU10 25D




DimTone 4-35W GU10 /822-827 25D




DimTone 4-35W GU10 /822-827 40D




DimTone 4.5-50W GU10 /822-827 25D




DimTone 4.5-50W GU10 /822-827 40D



VLE D 3.5-35W GU10 40D




VLE D 4.3-50W GU10 40D




5.4-50W GU10 /927 25D


Light Distribution Diagrams




5.4-50W GU10 /927 40D




5.4-50W GU10 /930 25D




5.4-50W GU10 /930 40D




5.4-50W GU10 /940 40D




4-35W GU10 /927 25D




4-35W GU10 /927 40D




4-35W GU10 /930 25D




4-35W GU10 /930 40D




4-35W GU10 /940 25D



4-35W GU10 /940 40D














(cd/1000lm) 0° — 0-180° — 90-270°






(cd/1000lm) 0° — 0-180° — 90-270°




Light Distribution Diagrams



Light Distribution Diagrams






MASTER LEDspotMV 35W GU10 36D 260lm



MASTER LEDspotMV 35W GU10 60D 260lm

MASTER LEDspotMV 50W GU10 36D 355lm




MASTER LEDspotMV 50W GU10 60D 355lm



MASTER LEDspotMV 80W GU10 830 36D

MASTER LEDspotMV 80W GU10 840 36D

MASTER LEDspotMV 80W GU10 865 36D VLE




MASTER LEDspotMV 650lm GU10 830 120D VLE

MASTER LEDspotMV 680lm GU10 840 120D VLE










MASTER LEDspotMV 35W GU10 922-927 36D

Light Distribution Diagrams















MASTER LEDspotMV 50W GU10 922-927 36D


Accent Diagrams




Accent Diagrams















Accent Diagrams















Accent Diagrams















Beam Diagrams



Beam Diagrams



Beam Diagrams



Beam Diagrams

