



Accent your merchandise without distraction

PAR38 LED

Philips PAR38 LED Single Optic Lamps with AirFlux Technology improves shopping experience with superior lighting aesthetics and optimal thermal efficiency in a sleek, lightweight design.

Benefits

- Will not fade colors, avoids inventory spoilage
- Lowers maintenance costs by reducing re-lamp frequency
- 5-year limited warranty†
- ‡ For details, please visit http://www.usa.lighting.philips.com/connect/tools_literature/warranties.wpd

Features

- Single Optic reduces glare to improve shopper experience
- 25,000-hour rated average life*
- 19W PAR38 saves 101W watts when compared to a 120W halogen PAR38
- 83 CRI for excellent color rendering
- Virtually UV/IR free in the beam
- Smooth dimming to 5% of full light levels†
- Contains no mercury
- † Dimmable when using leading and trailing edge dimmers. (See <http://www.philips.com/ledtechguide> for more details.)

Application

- Ideal for general and accent lighting in retail and hospitality spaces.

PAR38 LED

Versions



13 W, 14 W, 19 W E26 120 V PAR38



E26 PAR38



E26 PAR38



E26 PAR38



E26 PAR38



E26 PAR38



E26 PAR38



E26 PAR38



LEDspot PAR30L



LEDspot PAR38



LEDspot PAR30S





E26 PAR38



LEDspot E26 PAR38

PAR38 LED

Dimensional drawing





Product	D	C
120V PAR38 11W 25D 3000K ND	120 mm	130 mm
120V PAR38 32W 15D 3000K SO	122 mm	133 mm
120V PAR38 17W 25D 2700K 1200 D AF SO	120.3 mm	130.5 mm
120V PAR38 12W 35D 830 D ULW SO	123 mm	134 mm
120V PAR38 17W 35D 4000K 1200 D AF SO	120.3 mm	130.5 mm
120V PAR38 17W 35D 2700K 1200 D AF SO	120.3 mm	130.5 mm
120V PAR38 17W 25D 4000K 1200 D AF SO	120.3 mm	130.5 mm
120V PAR38 32W 25D 3000K SO	122 mm	133 mm
17 PAR38/F25 3000 DIM Silver	120.3 mm	130.5 mm
17 PAR38/F25 3000 DIM Black	120.3 mm	130.5 mm
120V PAR38 17W 15D 4000K 1200 D AF SO	120.3 mm	130.5 mm
120V PAR38 17W 15D 2700K 1200 D AF SO	120.3 mm	130.5 mm
120V PAR38 17W 35D 3000K 1200 D AF SO	120.3 mm	130.5 mm
120V PAR38 17W 25D 3000K 1200 D AF SO	120.3 mm	130.5 mm
120V PAR38 17W 15D 3000K 1200 D AF SO	120.3 mm	130.5 mm
120V PAR38 13W 25D 3000K 900 D SO	120 mm	131 mm
120V PAR38 13W 25D 2700K 900 D SO	120 mm	131 mm
120V PAR38 12W 35D 850 D ULW SO	123 mm	134 mm
120V PAR38 14W 25D 3000K 900 CW SO	120 mm	131 mm
120V PAR38 14W 15D 3000K 900 CW SO	120 mm	131 mm
120V PAR38 19W 35D 3500K 1200 D AF SO	120 mm	131 mm
120V PAR38 19W 25D 3500K 1200 D AF SO	120 mm	131 mm
120V PAR38 13W 35D 3000K 900 D SO	120 mm	131 mm
120V PAR38 13W 35D 2700K 900 D SO	120 mm	131 mm
120V PAR38 32W 15D 3000K SO B	122 mm	133 mm
120V PAR38 32W 25D 3000K SO B	122 mm	133 mm
17 PAR38/F25 2700 DIM Black	120.3 mm	130.5 mm

Product	D	C
16PAR38/AMB/F25/827/DIM ULW	125 mm	135 mm
16PAR38/AMB/F25/850/DIM ULW	125 mm	135 mm
13.5PAR38/AMB/F25/840/DIM ULW	125 mm	135 mm
13.5PAR38/AMB/F25/830/DIM ULW	125 mm	135 mm
16PAR38/AMB/F40/840/DIM ULW	125 mm	135 mm
16.5PAR38/AMB/F40/830/DIM ULW	125 mm	135 mm
13.5PAR38/AMB/F40/840/DIM ULW	125 mm	135 mm
13.5PAR38/AMB/F40/830/DIM ULW	125 mm	135 mm
13.5PAR38/AMB/F25/827/DIM ULW	125 mm	135 mm
16PAR38/AMB/F25/830/DIM ULW	125 mm	135 mm
13.5PAR38/AMB/F40/827/DIM ULW	125 mm	135 mm
16PAR38/AMB/F40/827/DIM ULW	125 mm	135 mm
16PAR38/AMB/F25/840/DIM ULW	125 mm	135 mm
13.5PAR38/AMB/F25/850/DIM ULW	125 mm	135 mm

PAR38 LED

Dimensional drawing



Product	D	C
12PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	121 mm	132 mm
12PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	121 mm	132 mm
14PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	121 mm	132 mm
14PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	121 mm	132 mm
17PAR38/EXPERTCOLOR RETAIL/F40/930/DIM	120.7 mm	134.6 mm
17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM	120.7 mm	134.6 mm
17PAR38/EXPERTCOLOR/S8/940/DIM/120V	120.7 mm	134.6 mm
17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM B	120.7 mm	134.6 mm
17PAR38/EXPERTCOLOR/F25/940/DIM	94.8 mm	93.1 mm
17PAR38/EXPERTCOLOR/F40/940/DIM	94.8 mm	93.1 mm
17PAR38/EXPERTCOLOR/F25/927/DIM/120V	120.7 mm	134.6 mm
17PAR38/EXPERTCOLOR/S8/927/DIM/120V	120.7 mm	134.6 mm
17PAR38/EXPERTCOLOR/F25/927/DIM B	120.7 mm	134.6 mm
17PAR38/EXPERTCOLOR/F40/927/DIM	120.7 mm	134.6 mm
17PAR38/EXPERTCOLOR RETAIL/S8/930/DIM	120.7 mm	134.6 mm

Product	D	C
12PAR30S/EXPERTCOLOR RETAIL/F25/930/DIM	94.8 mm	93.1 mm

Operating and Electrical

Voltage (Nom)	120 V
Starting Time (Nom)	0.5 s

General Information

Cap-Base	E26
----------	-----

Light Technical

Lmf At End Of Nominal Lifetime (Nom)	70 %
--------------------------------------	------

Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929000257704	120V PAR38 19W 25D 3500K 1200 D AF SO	19 kWh	A
929000257804	120V PAR38 19W 35D 3500K 1200 D AF SO	19 kWh	A
929001110304	120V PAR38 14W 15D 3000K 900 CW SO	14 kWh	A

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001110404	120V PAR38 14W 25D 3000K 900 CW SO	14 kWh	A
929001113104	120V PAR38 17W 15D 2700K 1200 D AF SO	-	Not applicable
929001113204	120V PAR38 17W 15D 3000K 1200 D AF SO	-	Not applicable

PAR38 LED

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001113304	120V PAR38 17W 15D 4000K 1200 D AF SO	-	Not applicable
929001113404	120V PAR38 17W 25D 2700K 1200 D AF SO	-	Not applicable
929001113504	120V PAR38 17W 25D 3000K 1200 D AF SO	-	Not applicable
929001113604	120V PAR38 17W 25D 4000K 1200 D AF SO	-	Not applicable
929001113704	120V PAR38 17W 35D 2700K 1200 D AF SO	-	Not applicable
929001113804	120V PAR38 17W 35D 3000K 1200 D AF SO	-	Not applicable
929001113904	120V PAR38 17W 35D 4000K 1200 D AF SO	-	Not applicable
929001131904	120V PAR38 13W 25D 2700K 900 D SO	-	Not applicable
929001132004	120V PAR38 13W 25D 3000K 900 D SO	-	Not applicable
929001132104	120V PAR38 13W 35D 2700K 900 D SO	-	Not applicable
929001132204	120V PAR38 13W 35D 3000K 900 D SO	-	Not applicable
929001174766	120V PAR38 11W 25D 3000K ND	-	Not applicable
929001183404	120V PAR38 12W 35D 830 D ULW SO	-	Not applicable
929001183504	120V PAR38 12W 35D 850 D ULW SO	-	Not applicable
929001186204	17 PAR38/F25 2700 DIM Black	-	Not applicable
929001193704	17 PAR38/F25 3000 DIM Black	-	Not applicable
929001194104	17 PAR38/F25 3000 DIM Sliver	-	Not applicable
929001202304	120V PAR38 32W 15D 3000K SO	-	Not applicable
929001202404	120V PAR38 32W 25D 3000K SO	-	Not applicable
929001266904	120V PAR38 32W 15D 3000K SO B	-	Not applicable
929001267004	120V PAR38 32W 25D 3000K SO B	-	Not applicable
929001285204	17PAR38/EXPERTCOLOR RETAIL/ S8/930/DIM	-	-
929001285304	17PAR38/EXPERTCOLOR RETAIL/ F25/930/DIM	-	-
929001285404	17PAR38/EXPERTCOLOR RETAIL/ F40/930/DIM	-	-
929001339404	17PAR38/EXPERTCOLOR/S8/927/DIM/ 120V	-	-

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001339504	17PAR38/EXPERTCOLOR/F25/927/DIM/ 120V	-	-
929001339604	17PAR38/EXPERTCOLOR/F40/927/DIM	-	-
929001369804	17PAR38/EXPERTCOLOR/S8/940/DIM/ 120V	-	-
929001285504	17PAR38/EXPERTCOLOR RETAIL/ F25/930/DIM B	-	-
929001339804	17PAR38/EXPERTCOLOR/F25/927/DIM B	-	-
929001286004	12PAR30S/EXPERTCOLOR RETAIL/ F25/930/DIM	-	-
929001340004	17PAR38/EXPERTCOLOR/F25/940/DIM	-	-
929001340104	17PAR38/EXPERTCOLOR/F40/940/DIM	-	-
929001291204	16PAR38/AMB/F25/827/DIM ULW	-	-
929001291304	16PAR38/AMB/F25/830/DIM ULW	-	-
929001291404	16PAR38/AMB/F25/840/DIM ULW	-	-
929001291504	16PAR38/AMB/F25/850/DIM ULW	-	-
929001291604	16PAR38/AMB/F40/827/DIM ULW	-	-
929001291704	16.5PAR38/AMB/F40/830/DIM ULW	-	-
929001291804	16PAR38/AMB/F40/840/DIM ULW	-	-
929001292004	13.5PAR38/AMB/F25/827/DIM ULW	-	-
929001292104	13.5PAR38/AMB/F25/830/DIM ULW	-	-
929001292204	13.5PAR38/AMB/F25/840/DIM ULW	-	-
929001292304	13.5PAR38/AMB/F25/850/DIM ULW	-	-
929001292404	13.5PAR38/AMB/F40/827/DIM ULW	-	-
929001292504	13.5PAR38/AMB/F40/830/DIM ULW	-	-
929001292604	13.5PAR38/AMB/F40/840/DIM ULW	-	-
929001318504	14PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	-	-
929001319004	14PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	-	-
929001319604	12PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	-	-
929001320104	12PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	-	-

Controls and Dimming

Order Code	Full Product Name	Dimmable
929000257704	120V PAR38 19W 25D 3500K 1200 D AF SO	Yes
929000257804	120V PAR38 19W 35D 3500K 1200 D AF SO	Yes
929001110304	120V PAR38 14W 15D 3000K 900 CW SO	No
929001110404	120V PAR38 14W 25D 3000K 900 CW SO	No
929001113104	120V PAR38 17W 15D 2700K 1200 D AF SO	Yes
929001113204	120V PAR38 17W 15D 3000K 1200 D AF SO	Yes
929001113304	120V PAR38 17W 15D 4000K 1200 D AF SO	Yes
929001113404	120V PAR38 17W 25D 2700K 1200 D AF SO	Yes
929001113504	120V PAR38 17W 25D 3000K 1200 D AF SO	Yes
929001113604	120V PAR38 17W 25D 4000K 1200 D AF SO	Yes

Order Code	Full Product Name	Dimmable
929001113704	120V PAR38 17W 35D 2700K 1200 D AF SO	Yes
929001113804	120V PAR38 17W 35D 3000K 1200 D AF SO	Yes
929001113904	120V PAR38 17W 35D 4000K 1200 D AF SO	Yes
929001131904	120V PAR38 13W 25D 2700K 900 D SO	Yes
929001132004	120V PAR38 13W 25D 3000K 900 D SO	Yes
929001132104	120V PAR38 13W 35D 2700K 900 D SO	Yes
929001132204	120V PAR38 13W 35D 3000K 900 D SO	Yes
929001174766	120V PAR38 11W 25D 3000K ND	No
929001183404	120V PAR38 12W 35D 830 D ULW SO	Yes
929001183504	120V PAR38 12W 35D 850 D ULW SO	Yes

PAR38 LED

Order Code	Full Product Name	Dimmable
929001186204	17 PAR38/F25 2700 DIM Black	Yes
929001193704	17 PAR38/F25 3000 DIM Black	Yes
929001194104	17 PAR38/F25 3000 DIM Sliver	Yes
929001202304	120V PAR38 32W 15D 3000K SO	No
929001202404	120V PAR38 32W 25D 3000K SO	No
929001266904	120V PAR38 32W 15D 3000K SO B	No
929001267004	120V PAR38 32W 25D 3000K SO B	No
929001285204	17PAR38/EXPERTCOLOR RETAIL/S8/930/DIM	Yes
929001285304	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM	Yes
929001285404	17PAR38/EXPERTCOLOR RETAIL/F40/930/DIM	Yes
929001339404	17PAR38/EXPERTCOLOR/S8/927/DIM/120V	Yes
929001339504	17PAR38/EXPERTCOLOR/F25/927/DIM/120V	Yes
929001339604	17PAR38/EXPERTCOLOR/F40/927/DIM	Yes
929001369804	17PAR38/EXPERTCOLOR/S8/940/DIM/120V	Yes
929001285504	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM B	Yes
929001339804	17PAR38/EXPERTCOLOR/F25/927/DIM B	Yes
929001286004	12PAR30S/EXPERTCOLOR RETAIL/F25/930/DIM	Yes
929001340004	17PAR38/EXPERTCOLOR/F25/940/DIM	Yes
929001340104	17PAR38/EXPERTCOLOR/F40/940/DIM	Yes

Order Code	Full Product Name	Dimmable
929001291204	16PAR38/AMB/F25/827/DIM ULW	Yes
929001291304	16PAR38/AMB/F25/830/DIM ULW	Yes
929001291404	16PAR38/AMB/F25/840/DIM ULW	Yes
929001291504	16PAR38/AMB/F25/850/DIM ULW	Yes
929001291604	16PAR38/AMB/F40/827/DIM ULW	Yes
929001291704	16.5PAR38/AMB/F40/830/DIM ULW	Yes
929001291804	16PAR38/AMB/F40/840/DIM ULW	Yes
929001292004	13.5PAR38/AMB/F25/827/DIM ULW	Yes
929001292104	13.5PAR38/AMB/F25/830/DIM ULW	Yes
929001292204	13.5PAR38/AMB/F25/840/DIM ULW	Yes
929001292304	13.5PAR38/AMB/F25/850/DIM ULW	Yes
929001292404	13.5PAR38/AMB/F40/827/DIM ULW	Yes
929001292504	13.5PAR38/AMB/F40/830/DIM ULW	Yes
929001292604	13.5PAR38/AMB/F40/840/DIM ULW	Yes
929001318504	14PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	Yes
929001319004	14PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	Yes
929001319604	12PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	Yes
929001320104	12PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	Yes

Operating and Electrical

Order Code	Full Product Name	Input Frequency	Wattage Equivalent	Power (Rated) (Nom)
929000257704	120V PAR38 19W 25D 3500K 1200 D AF SO	60 Hz	120 W	19 W
929000257804	120V PAR38 19W 35D 3500K 1200 D AF SO	60 Hz	120 W	19 W
929001110304	120V PAR38 14W 15D 3000K 900 CW SO	60 Hz	95 W	14 W
929001110404	120V PAR38 14W 25D 3000K 900 CW SO	60 Hz	95 W	14 W
929001113104	120V PAR38 17W 15D 2700K 1200 D AF SO	60 Hz	100 W	17 W
929001113204	120V PAR38 17W 15D 3000K 1200 D AF SO	60 Hz	100 W	17 W
929001113304	120V PAR38 17W 15D 4000K 1200 D AF SO	60 Hz	100 W	17 W
929001113404	120V PAR38 17W 25D 2700K 1200 D AF SO	60 Hz	120 W	17 W
929001113504	120V PAR38 17W 25D 3000K 1200 D AF SO	60 Hz	120 W	17 W
929001113604	120V PAR38 17W 25D 4000K 1200 D AF SO	60 Hz	120 W	17 W
929001113704	120V PAR38 17W 35D 2700K 1200 D AF SO	60 Hz	120 W	17 W
929001113804	120V PAR38 17W 35D 3000K 1200 D AF SO	60 Hz	120 W	17 W
929001113904	120V PAR38 17W 35D 4000K 1200 D AF SO	60 Hz	120 W	17 W

Order Code	Full Product Name	Input Frequency	Wattage Equivalent	Power (Rated) (Nom)
929001131904	120V PAR38 13W 25D 2700K 900 D SO	60 Hz	90 W	13 W
929001132004	120V PAR38 13W 25D 3000K 900 D SO	60 Hz	90 W	13 W
929001132104	120V PAR38 13W 35D 2700K 900 D SO	60 Hz	90 W	13 W
929001132204	120V PAR38 13W 35D 3000K 900 D SO	60 Hz	90 W	13 W
929001174766	120V PAR38 11W 25D 3000K ND	60 Hz	90 W	11 W
929001183404	120V PAR38 12W 35D 830 D ULW SO	60 Hz	100 W	12 W
929001183504	120V PAR38 12W 35D 850 D ULW SO	60 Hz	100 W	12 W
929001186204	17 PAR38/F25 2700 DIM Black	60 Hz	120 W	17 W
929001193704	17 PAR38/F25 3000 DIM Black	60 Hz	120 W	17 W
929001194104	17 PAR38/F25 3000 DIM Sliver	60 Hz	120 W	17 W
929001202304	120V PAR38 32W 15D 3000K SO	50 to 60 Hz	250 W	32 W
929001202404	120V PAR38 32W 25D 3000K SO	50 to 60 Hz	250 W	32 W
929001266904	120V PAR38 32W 15D 3000K SO B	50 to 60 Hz	250 W	32 W
929001267004	120V PAR38 32W 25D 3000K SO B	50 to 60 Hz	250 W	32 W

PAR38 LED

Order Code	Full Product Name	Input Frequency	Wattage Equivalent	Power (Rated) (Nom)
929001285204	17PAR38/EXPERTCOLOR RETAIL/S8/930/DIM	60 Hz	100 W	17 W
929001285304	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM	60 Hz	120 W	17 W
929001285404	17PAR38/EXPERTCOLOR RETAIL/F40/930/DIM	60 Hz	120 W	17 W
929001339404	17PAR38/EXPERTCOLOR/ S8/927/DIM/120V	60 Hz	100 W	17 W
929001339504	17PAR38/EXPERTCOLOR/ F25/927/DIM/120V	60 Hz	120 W	17 W
929001339604	17PAR38/EXPERTCOLOR/ F40/927/DIM	60 Hz	120 W	17 W
929001369804	17PAR38/EXPERTCOLOR/ S8/940/DIM/120V	60 Hz	100 W	17 W
929001285504	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM B	60 Hz	120 W	17 W
929001339804	17PAR38/EXPERTCOLOR/ F25/927/DIM B	60 Hz	120 W	17 W
929001286004	12PAR30S/EXPERTCOLOR RETAIL/F25/930/DIM	60 Hz	75 W	12 W
929001340004	17PAR38/EXPERTCOLOR/ F25/940/DIM	60 Hz	120 W	17 W
929001340104	17PAR38/EXPERTCOLOR/ F40/940/DIM	60 Hz	120 W	17 W
929001291204	16PAR38/AMB/F25/827/DIM ULW	50 to 60 Hz	120 W	16 W
929001291304	16PAR38/AMB/F25/830/DIM ULW	50 to 60 Hz	120 W	16 W
929001291404	16PAR38/AMB/F25/840/DIM ULW	50 to 60 Hz	120 W	16 W

Order Code	Full Product Name	Input Frequency	Wattage Equivalent	Power (Rated) (Nom)
929001291504	16PAR38/AMB/F25/850/DIM ULW	50 to 60 Hz	120 W	16 W
929001291604	16PAR38/AMB/F40/827/DIM ULW	50 to 60 Hz	120 W	16 W
929001291704	16.5PAR38/AMB/F40/830/DIM ULW	50 to 60 Hz	120 W	16 W
929001291804	16PAR38/AMB/F40/840/DIM ULW	50 to 60 Hz	120 W	16 W
929001292004	13.5PAR38/AMB/F25/827/DIM ULW	50 to 60 Hz	90 W	13.5 W
929001292104	13.5PAR38/AMB/F25/830/DIM ULW	50 to 60 Hz	90 W	13.5 W
929001292204	13.5PAR38/AMB/F25/840/DIM ULW	50 to 60 Hz	90 W	13.5 W
929001292304	13.5PAR38/AMB/F25/850/DIM ULW	50 to 60 Hz	90 W	13.5 W
929001292404	13.5PAR38/AMB/F40/827/DIM ULW	50 to 60 Hz	90 W	13.5 W
929001292504	13.5PAR38/AMB/F40/830/DIM ULW	50 to 60 Hz	90 W	13.5 W
929001292604	13.5PAR38/AMB/F40/840/DIM ULW	50 to 60 Hz	90 W	13.5 W
929001318504	14PAR38/AMB/835/F25/GL/DI M/FB/1PK 6/1	50 to 60 Hz	120 W	14 W
929001319004	14PAR38/AMB/835/F40/GL/DI M/FB/1PK 6/1	50 to 60 Hz	120 W	14 W
929001319604	12PAR38/AMB/835/F25/GL/DI M/FB/1PK 6/1	50 to 60 Hz	90 W	12 W
929001320104	12PAR38/AMB/835/F40/GL/DI M/FB/1PK 6/1	50 to 60 Hz	90 W	12 W

General Information

Order Code	Full Product Name	Nominal Lifetime (Nom)	Rated Lifetime (Hours)	Switching Cycle
929000257704	120V PAR38 19W 25D 3500K 1200 D AF SO	50000 h	50000 h	20000X
929000257804	120V PAR38 19W 35D 3500K 1200 D AF SO	50000 h	50000 h	20000X
929001110304	120V PAR38 14W 15D 3000K 900 CW SO	50000 h	50000 h	20000X
929001110404	120V PAR38 14W 25D 3000K 900 CW SO	50000 h	50000 h	20000X
929001113104	120V PAR38 17W 15D 2700K 1200 D AF SO	25000 h	25000 h	50000X
929001113204	120V PAR38 17W 15D 3000K 1200 D AF SO	25000 h	25000 h	50000X
929001113304	120V PAR38 17W 15D 4000K 1200 D AF SO	25000 h	25000 h	50000X

Order Code	Full Product Name	Nominal Lifetime (Nom)	Rated Lifetime (Hours)	Switching Cycle
929001113404	120V PAR38 17W 25D 2700K 1200 D AF SO	25000 h	25000 h	50000X
929001113504	120V PAR38 17W 25D 3000K 1200 D AF SO	25000 h	25000 h	50000X
929001113604	120V PAR38 17W 25D 4000K 1200 D AF SO	25000 h	25000 h	50000X
929001113704	120V PAR38 17W 35D 2700K 1200 D AF SO	25000 h	25000 h	50000X
929001113804	120V PAR38 17W 35D 3000K 1200 D AF SO	25000 h	25000 h	50000X
929001113904	120V PAR38 17W 35D 4000K 1200 D AF SO	25000 h	25000 h	50000X
929001131904	120V PAR38 13W 25D 2700K 900 D SO	25000 h	25000 h	50000X

PAR38 LED

Order Code	Full Product Name	Nominal Lifetime (Nom)	Rated Lifetime (Hours)	Switching Cycle
929001132004	120V PAR38 13W 25D 3000K 900 D SO	25000 h	25000 h	50000X
929001132104	120V PAR38 13W 35D 2700K 900 D SO	25000 h	25000 h	50000X
929001132204	120V PAR38 13W 35D 3000K 900 D SO	25000 h	25000 h	50000X
929001174766	120V PAR38 11W 25D 3000K ND	10000 h	10000 h	50000X
929001183404	120V PAR38 12W 35D 830 D ULW SO	25000 h	25000 h	50000X
929001183504	120V PAR38 12W 35D 850 D ULW SO	25000 h	25000 h	50000X
929001186204	17 PAR38/F25 2700 DIM Black	25000 h	25000 h	50000X
929001193704	17 PAR38/F25 3000 DIM Black	25000 h	25000 h	50000X
929001194104	17 PAR38/F25 3000 DIM Silver	25000 h	25000 h	50000X
929001202304	120V PAR38 32W 15D 3000K SO	25000 h	25000 h	50000X
929001202404	120V PAR38 32W 25D 3000K SO	25000 h	25000 h	50000X
929001266904	120V PAR38 32W 15D 3000K SO B	25000 h	25000 h	50000X
929001267004	120V PAR38 32W 25D 3000K SO B	25000 h	25000 h	50000X
929001285204	17PAR38/EXPERTCOLOR RETAIL/S8/930/DIM	40000 h	40000 h	50000X
929001285304	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM	40000 h	40000 h	50000X
929001285404	17PAR38/EXPERTCOLOR RETAIL/F40/930/DIM	40000 h	40000 h	50000X
929001339404	17PAR38/EXPERTCOLOR/ S8/927/DIM/120V	40000 h	40000 h	50000X
929001339504	17PAR38/EXPERTCOLOR/ F25/927/DIM/120V	40000 h	40000 h	50000X
929001339604	17PAR38/EXPERTCOLOR/ F40/927/DIM	40000 h	40000 h	50000X
929001369804	17PAR38/EXPERTCOLOR/ S8/940/DIM/120V	40000 h	40000 h	50000X
929001285504	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM B	40000 h	40000 h	50000X
929001339804	17PAR38/EXPERTCOLOR/ F25/927/DIM B	40000 h	40000 h	50000X

Order Code	Full Product Name	Nominal Lifetime (Nom)	Rated Lifetime (Hours)	Switching Cycle
929001286004	12PAR30S/EXPERTCOLOR RETAIL/F25/930/DIM	40000 h	40000 h	50000X
929001340004	17PAR38/EXPERTCOLOR/ F25/940/DIM	40000 h	40000 h	50000X
929001340104	17PAR38/EXPERTCOLOR/ F40/940/DIM	40000 h	40000 h	50000X
929001291204	16PAR38/AMB/F25/827/DIM ULW	25000 h	25000 h	50000X
929001291304	16PAR38/AMB/F25/830/DIM ULW	25000 h	25000 h	50000X
929001291404	16PAR38/AMB/F25/840/DIM ULW	25000 h	25000 h	50000X
929001291504	16PAR38/AMB/F25/850/DIM ULW	25000 h	25000 h	50000X
929001291604	16PAR38/AMB/F40/827/DIM ULW	25000 h	25000 h	50000X
929001291704	16.5PAR38/AMB/F40/830/DIM ULW	25000 h	25000 h	50000X
929001291804	16PAR38/AMB/F40/840/DIM ULW	25000 h	25000 h	50000X
929001292004	13.5PAR38/AMB/F25/827/DIM ULW	25000 h	25000 h	50000X
929001292104	13.5PAR38/AMB/F25/830/DIM ULW	25000 h	25000 h	50000X
929001292204	13.5PAR38/AMB/F25/840/DIM ULW	25000 h	25000 h	50000X
929001292304	13.5PAR38/AMB/F25/850/DIM ULW	25000 h	25000 h	50000X
929001292404	13.5PAR38/AMB/F40/827/DIM ULW	25000 h	25000 h	50000X
929001292504	13.5PAR38/AMB/F40/830/DIM ULW	25000 h	25000 h	50000X
929001292604	13.5PAR38/AMB/F40/840/DIM ULW	25000 h	25000 h	50000X
929001318504	14PAR38/AMB/835/F25/GL/DIM/F B/1PK 6/1	25000 h	25000 h	25000X
929001319004	14PAR38/AMB/835/F40/GL/DIM/F B/1PK 6/1	25000 h	25000 h	25000X
929001319604	12PAR38/AMB/835/F25/GL/DIM/F B/1PK 6/1	25000 h	25000 h	25000X
929001320104	12PAR38/AMB/835/F40/GL/DIM/F B/1PK 6/1	25000 h	25000 h	25000X

Light Technical (1/2)

Order Code	Full Product Name	Beam Angle (Nom)	Color Code	Correlated Color Temperature (Nom)	Color Rendering Index (Nom)	Light Distribution	Luminous Flux (Nom)	Luminous Flux (Rated) (Nom)
929000257704	120V PAR38 19W 25D 3500K 1200 D AF SO	25 °	835	3500 K	83	Medium beam 25°	1300 lm	1300 lm
929000257804	120V PAR38 19W 35D 3500K 1200 D AF SO	36 °	835	3500 K	83	Medium beam 36°	1300 lm	1300 lm
929001110304	120V PAR38 14W 15D 3000K 900 CW SO	15 °	830	3000 K	80	Narrow beam 15°	900 lm	900 lm

PAR38 LED

Order Code	Full Product Name	Beam Angle (Nom)	Color Code	Correlated Color Temperature (Nom)	Color Rendering Index (Nom)	Light Distribution	Luminous Flux (Nom)	Luminous Flux (Rated) (Nom)
929001110404	120V PAR38 14W 25D 3000K 900 CW SO	25 °	830	3000 K	80	Medium beam 25°	900 lm	900 lm
929001113104	120V PAR38 17W 15D 2700K 1200 D AF SO	15 °	827	2700 K	80	-	1200 lm	1200 lm
929001113204	120V PAR38 17W 15D 3000K 1200 D AF SO	15 °	830	3000 K	80	-	1250 lm	1250 lm
929001113304	120V PAR38 17W 15D 4000K 1200 D AF SO	15 °	840	4000 K	80	-	1300 lm	1300 lm
929001113404	120V PAR38 17W 25D 2700K 1200 D AF SO	25 °	827	2700 K	80	-	1200 lm	1200 lm
929001113504	120V PAR38 17W 25D 3000K 1200 D AF SO	25 °	830	3000 K	80	-	1250 lm	1250 lm
929001113604	120V PAR38 17W 25D 4000K 1200 D AF SO	25 °	840	4000 K	80	-	1300 lm	1300 lm
929001113704	120V PAR38 17W 35D 2700K 1200 D AF SO	35 °	827	2700 K	80	-	1200 lm	1200 lm
929001113804	120V PAR38 17W 35D 3000K 1200 D AF SO	35 °	830	3000 K	80	-	1250 lm	1250 lm
929001113904	120V PAR38 17W 35D 4000K 1200 D AF SO	35 °	840	4000 K	80	-	1300 lm	1300 lm
929001131904	120V PAR38 13W 25D 2700K 900 D SO	25 °	827	2700 K	80	-	900 lm	900 lm
929001132004	120V PAR38 13W 25D 3000K 900 D SO	25 °	830	3000 K	80	-	950 lm	950 lm
929001132104	120V PAR38 13W 35D 2700K 900 D SO	35 °	827	2700 K	80	-	900 lm	900 lm
929001132204	120V PAR38 13W 35D 3000K 900 D SO	35 °	830	3000 K	80	-	950 lm	950 lm
929001174766	120V PAR38 11W 25D 3000K ND	25 °	830	3000 K	80	-	950 lm	950 lm
929001183404	120V PAR38 12W 35D 830 D ULW SO	35 °	830	3000 K	80	-	1100 lm	1100 lm
929001183504	120V PAR38 12W 35D 850 D ULW SO	35 °	850	5000 K	80	-	1200 lm	1200 lm
929001186204	17 PAR38/F25 2700 DIM Black	25 °	827	2700 K	80	-	1200 lm	1200 lm
929001193704	17 PAR38/F25 3000 DIM Black	25 °	830	3000 K	80	-	1250 lm	1250 lm
929001194104	17 PAR38/F25 3000 DIM Silver	25 °	830	3000 K	80	-	1250 lm	1250 lm
929001202304	120V PAR38 32W 15D 3000K SO	15 °	830	3000 K	80	-	2800 lm	2800 lm
929001202404	120V PAR38 32W 25D 3000K SO	25 °	830	3000 K	80	-	2800 lm	2800 lm
929001266904	120V PAR38 32W 15D 3000K SO B	15 °	830	3000 K	80	-	2800 lm	2800 lm
929001267004	120V PAR38 32W 25D 3000K SO B	25 °	830	3000 K	80	-	2800 lm	2800 lm
929001285204	17PAR38/EXPERTCOLOR RETAIL/S8/930/DIM	8 °	930	3000 K	90	-	1200 lm	1200 lm
929001285304	17PAR38/EXPERTCOLOR RETAIL/ F25/930/DIM	25 °	930	3000 K	90	-	1200 lm	1200 lm
929001285404	17PAR38/EXPERTCOLOR RETAIL/ F40/930/DIM	40 °	930	3000 K	90	-	1200 lm	1200 lm
929001339404	17PAR38/EXPERTCOLOR/S8/927/DIM/120V	8 °	927	2700 K	95	-	1150 lm	1150 lm
929001339504	17PAR38/EXPERTCOLOR/F25/927/DIM/120V	25 °	927	2700 K	95	-	1150 lm	1150 lm
929001339604	17PAR38/EXPERTCOLOR/F40/927/DIM	40 °	927	2700 K	95	-	1150 lm	1150 lm
929001369804	17PAR38/EXPERTCOLOR/S8/940/DIM/120V	8 °	940	4000 K	95	-	1300 lm	1300 lm
929001285504	17PAR38/EXPERTCOLOR RETAIL/ F25/930/DIM B	25 °	930	3000 K	90	-	1200 lm	1200 lm
929001339804	17PAR38/EXPERTCOLOR/F25/927/DIM B	25 °	927	2700 K	95	-	1150 lm	1150 lm
929001286004	12PAR30S/EXPERTCOLOR RETAIL/ F25/930/DIM	25 °	930	3000 K	90	-	880 lm	880 lm
929001340004	17PAR38/EXPERTCOLOR/F25/940/DIM	25 °	940	4000 K	95	-	1300 lm	1300 lm
929001340104	17PAR38/EXPERTCOLOR/F40/940/DIM	40 °	940	4000 K	95	-	1300 lm	1300 lm
929001291204	16PAR38/AMB/F25/827/DIM ULW	25 °	827	2700 K	80	-	1200 lm	1200 lm
929001291304	16PAR38/AMB/F25/830/DIM ULW	25 °	830	3000 K	80	-	1200 lm	1200 lm
929001291404	16PAR38/AMB/F25/840/DIM ULW	25 °	840	4000 K	80	-	1200 lm	1200 lm
929001291504	16PAR38/AMB/F25/850/DIM ULW	25 °	850	5000 K	80	-	1200 lm	1200 lm
929001291604	16PAR38/AMB/F40/827/DIM ULW	40 °	827	2700 K	80	-	1200 lm	1200 lm
929001291704	16.5PAR38/AMB/F40/830/DIM ULW	40 °	830	3000 K	80	-	1200 lm	1200 lm
929001291804	16PAR38/AMB/F40/840/DIM ULW	40 °	840	4000 K	80	-	1200 lm	1200 lm
929001292004	13.5PAR38/AMB/F25/827/DIM ULW	25 °	827	2700 K	80	-	950 lm	950 lm
929001292104	13.5PAR38/AMB/F25/830/DIM ULW	25 °	830	3000 K	80	-	950 lm	950 lm

PAR38 LED

Order Code	Full Product Name	Beam Angle (Nom)	Color Code	Correlated Color Temperature (Nom)	Color		Luminous Flux (Nom)	Luminous Flux (Rated) (Nom)
					Rendering Index (Nom)	Light Distribution		
929001292204	13.5PAR38/AMB/F25/840/DIM ULW	25 °	840	4000 K	80	-	950 lm	950 lm
929001292304	13.5PAR38/AMB/F25/850/DIM ULW	25 °	850	5000 K	80	-	950 lm	950 lm
929001292404	13.5PAR38/AMB/F40/827/DIM ULW	40 °	827	2700 K	80	-	950 lm	950 lm
929001292504	13.5PAR38/AMB/F40/830/DIM ULW	40 °	830	3000 K	80	-	950 lm	950 lm
929001292604	13.5PAR38/AMB/F40/840/DIM ULW	40 °	840	4000 K	80	-	950 lm	950 lm
929001318504	14PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	25 °	835	3500 K	80	-	1200 lm	1200 lm
929001319004	14PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	40 °	835	3500 K	80	-	1200 lm	1200 lm
929001319604	12PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	25 °	835	3500 K	80	-	900 lm	900 lm
929001320104	12PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	40 °	835	3500 K	80	-	900 lm	900 lm

Light Technical (2/2)

Order Code	Full Product Name	Luminous Intensity (Nom)	Rated Beam Angle	Order Code	Full Product Name	Luminous Intensity (Nom)	Rated Beam Angle
929000257704	120V PAR38 19W 25D 3500K 1200 D AF SO	7500 cd	25 °	929001266904	120V PAR38 32W 15D 3000K SO B	30000 cd	15 °
929000257804	120V PAR38 19W 35D 3500K 1200 D AF SO	3600 cd	36 °	929001267004	120V PAR38 32W 25D 3000K SO B	8000 cd	25 °
929001110304	120V PAR38 14W 15D 3000K 900 CW SO	9200 cd	15 °	929001285204	17PAR38/EXPERTCOLOR RETAIL/S8/930/DIM	22000 cd	8 °
929001110404	120V PAR38 14W 25D 3000K 900 CW SO	4200 cd	25 °	929001285304	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM	6000 cd	25 °
929001113104	120V PAR38 17W 15D 2700K 1200 D AF SO	10000 cd	15 °	929001285404	17PAR38/EXPERTCOLOR RETAIL/F40/930/DIM	2700 cd	40 °
929001113204	120V PAR38 17W 15D 3000K 1200 D AF SO	10500 cd	15 °	929001339404	17PAR38/EXPERTCOLOR/S8/927/DIM/120V	21000 cd	8 °
929001113304	120V PAR38 17W 15D 4000K 1200 D AF SO	11000 cd	15 °	929001339504	17PAR38/EXPERTCOLOR/F25/927/DIM/120V	5800 cd	25 °
929001113404	120V PAR38 17W 25D 2700K 1200 D AF SO	6800 cd	25 °	929001339604	17PAR38/EXPERTCOLOR/F40/927/DIM	2600 cd	40 °
929001113504	120V PAR38 17W 25D 3000K 1200 D AF SO	7100 cd	25 °	929001369804	17PAR38/EXPERTCOLOR/S8/940/DIM/120V	25000 cd	8 °
929001113604	120V PAR38 17W 25D 4000K 1200 D AF SO	7500 cd	25 °	929001285504	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM B	6000 cd	25 °
929001113704	120V PAR38 17W 35D 2700K 1200 D AF SO	3200 cd	35 °	929001339804	17PAR38/EXPERTCOLOR/F25/927/DIM B	5800 cd	25 °
929001113804	120V PAR38 17W 35D 3000K 1200 D AF SO	3400 cd	35 °	929001286004	12PAR30S/EXPERTCOLOR RETAIL/F25/930/DIM	4500 cd	25 °
929001113904	120V PAR38 17W 35D 4000K 1200 D AF SO	3600 cd	35 °	929001340004	17PAR38/EXPERTCOLOR/F25/940/DIM	6500 cd	25 °
929001131904	120V PAR38 13W 25D 2700K 900 D SO	5300 cd	25 °	929001340104	17PAR38/EXPERTCOLOR/F40/940/DIM	3000 cd	40 °
929001132004	120V PAR38 13W 25D 3000K 900 D SO	5500 cd	25 °	929001291204	16PAR38/AMB/F25/827/DIM ULW	6000 cd	25 °
929001132104	120V PAR38 13W 35D 2700K 900 D SO	2450 cd	35 °	929001291304	16PAR38/AMB/F25/830/DIM ULW	6000 cd	25 °
929001132204	120V PAR38 13W 35D 3000K 900 D SO	2650 cd	35 °	929001291404	16PAR38/AMB/F25/840/DIM ULW	6000 cd	25 °
929001174766	120V PAR38 11W 25D 3000K ND	4085 cd	25 °	929001291504	16PAR38/AMB/F25/850/DIM ULW	6000 cd	25 °
929001183404	120V PAR38 12W 35D 830 D ULW SO	2500 cd	35 °	929001291604	16PAR38/AMB/F40/827/DIM ULW	2500 cd	40 °
929001183504	120V PAR38 12W 35D 850 D ULW SO	2700 cd	35 °	929001291704	16.5PAR38/AMB/F40/830/DIM ULW	2500 cd	40 °
929001186204	17 PAR38/F25 2700 DIM Black	6800 cd	25 °	929001291804	16PAR38/AMB/F40/840/DIM ULW	2500 cd	40 °
929001193704	17 PAR38/F25 3000 DIM Black	7100 cd	25 °	929001292004	13.5PAR38/AMB/F25/827/DIM ULW	4100 cd	25 °
929001194104	17 PAR38/F25 3000 DIM Sliver	7100 cd	25 °	929001292104	13.5PAR38/AMB/F25/830/DIM ULW	4100 cd	25 °
929001202304	120V PAR38 32W 15D 3000K SO	30000 cd	15 °	929001292204	13.5PAR38/AMB/F25/840/DIM ULW	4100 cd	25 °
929001202404	120V PAR38 32W 25D 3000K SO	8000 cd	25 °	929001292304	13.5PAR38/AMB/F25/850/DIM ULW	4100 cd	25 °
				929001292404	13.5PAR38/AMB/F40/827/DIM ULW	1700 cd	40 °
				929001292504	13.5PAR38/AMB/F40/830/DIM ULW	1700 cd	40 °
				929001292604	13.5PAR38/AMB/F40/840/DIM ULW	1700 cd	40 °

PAR38 LED

Order Code	Full Product Name	Luminous Intensity (Nom)	Rated Beam Angle
929001318504	14PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	6000 cd	25 °
929001319004	14PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	2500 cd	40 °

Order Code	Full Product Name	Luminous Intensity (Nom)	Rated Beam Angle
929001319604	12PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	4100 cd	25 °
929001320104	12PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	1900 cd	40 °

Mechanical and Housing

Order Code	Full Product Name	Bulb Shape
929000257704	120V PAR38 19W 25D 3500K 1200 D AF SO	PAR38
929000257804	120V PAR38 19W 35D 3500K 1200 D AF SO	PAR38
929001110304	120V PAR38 14W 15D 3000K 900 CW SO	PAR38
929001110404	120V PAR38 14W 25D 3000K 900 CW SO	PAR38
929001113104	120V PAR38 17W 15D 2700K 1200 D AF SO	PAR38
929001113204	120V PAR38 17W 15D 3000K 1200 D AF SO	PAR38
929001113304	120V PAR38 17W 15D 4000K 1200 D AF SO	PAR38
929001113404	120V PAR38 17W 25D 2700K 1200 D AF SO	PAR38
929001113504	120V PAR38 17W 25D 3000K 1200 D AF SO	PAR38
929001113604	120V PAR38 17W 25D 4000K 1200 D AF SO	PAR38
929001113704	120V PAR38 17W 35D 2700K 1200 D AF SO	PAR38
929001113804	120V PAR38 17W 35D 3000K 1200 D AF SO	PAR38
929001113904	120V PAR38 17W 35D 4000K 1200 D AF SO	PAR38
929001131904	120V PAR38 13W 25D 2700K 900 D SO	PAR38
929001132004	120V PAR38 13W 25D 3000K 900 D SO	PAR38
929001132104	120V PAR38 13W 35D 2700K 900 D SO	PAR38
929001132204	120V PAR38 13W 35D 3000K 900 D SO	PAR38
929001174766	120V PAR38 11W 25D 3000K ND	PAR38
929001183404	120V PAR38 12W 35D 830 D ULW SO	PAR38
929001183504	120V PAR38 12W 35D 850 D ULW SO	PAR38
929001186204	17 PAR38/F25 2700 DIM Black	PAR38
929001193704	17 PAR38/F25 3000 DIM Black	PAR38
929001194104	17 PAR38/F25 3000 DIM Silver	PAR38
929001202304	120V PAR38 32W 15D 3000K SO	PAR38
929001202404	120V PAR38 32W 25D 3000K SO	PAR38
929001266904	120V PAR38 32W 15D 3000K SO B	PAR38
929001267004	120V PAR38 32W 25D 3000K SO B	PAR38
929001285204	17PAR38/EXPERTCOLOR RETAIL/S8/930/DIM	PAR38
929001285304	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM	PAR38

Order Code	Full Product Name	Bulb Shape
929001285404	17PAR38/EXPERTCOLOR RETAIL/F40/930/DIM	PAR38
929001339404	17PAR38/EXPERTCOLOR/S8/927/DIM/120V	PAR38
929001339504	17PAR38/EXPERTCOLOR/F25/927/DIM/120V	PAR38
929001339604	17PAR38/EXPERTCOLOR/F40/927/DIM	PAR38
929001369804	17PAR38/EXPERTCOLOR/S8/940/DIM/120V	PAR38
929001285504	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM B	PAR38
929001339804	17PAR38/EXPERTCOLOR/F25/927/DIM B	PAR38
929001286004	12PAR30S/EXPERTCOLOR RETAIL/F25/930/DIM	PAR30S
929001340004	17PAR38/EXPERTCOLOR/F25/940/DIM	PAR38
929001340104	17PAR38/EXPERTCOLOR/F40/940/DIM	PAR38
929001291204	16PAR38/AMB/F25/827/DIM ULW	PAR38
929001291304	16PAR38/AMB/F25/830/DIM ULW	PAR38
929001291404	16PAR38/AMB/F25/840/DIM ULW	PAR38
929001291504	16PAR38/AMB/F25/850/DIM ULW	PAR38
929001291604	16PAR38/AMB/F40/827/DIM ULW	PAR38
929001291704	16.5PAR38/AMB/F40/830/DIM ULW	PAR38
929001291804	16PAR38/AMB/F40/840/DIM ULW	PAR38
929001292004	13.5PAR38/AMB/F25/827/DIM ULW	PAR38
929001292104	13.5PAR38/AMB/F25/830/DIM ULW	PAR38
929001292204	13.5PAR38/AMB/F25/840/DIM ULW	PAR38
929001292304	13.5PAR38/AMB/F25/850/DIM ULW	PAR38
929001292404	13.5PAR38/AMB/F40/827/DIM ULW	PAR38
929001292504	13.5PAR38/AMB/F40/830/DIM ULW	PAR38
929001292604	13.5PAR38/AMB/F40/840/DIM ULW	PAR38
929001318504	14PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	PAR38
929001319004	14PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	PAR38
929001319604	12PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	PAR38
929001320104	12PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	PAR38

Temperature


Order Code	Full Product Name	T-Case Maximum (Nom)
929000257704	120V PAR38 19W 25D 3500K 1200 D AF SO	-
929000257804	120V PAR38 19W 35D 3500K 1200 D AF SO	-
929001110304	120V PAR38 14W 15D 3000K 900 CW SO	-
929001110404	120V PAR38 14W 25D 3000K 900 CW SO	-
929001113104	120V PAR38 17W 15D 2700K 1200 D AF SO	89 °C
929001113204	120V PAR38 17W 15D 3000K 1200 D AF SO	89 °C
929001113304	120V PAR38 17W 15D 4000K 1200 D AF SO	89 °C
929001113404	120V PAR38 17W 25D 2700K 1200 D AF SO	89 °C
929001113504	120V PAR38 17W 25D 3000K 1200 D AF SO	89 °C

Order Code	Full Product Name	T-Case Maximum (Nom)
929001113604	120V PAR38 17W 25D 4000K 1200 D AF SO	89 °C
929001113704	120V PAR38 17W 35D 2700K 1200 D AF SO	89 °C
929001113804	120V PAR38 17W 35D 3000K 1200 D AF SO	89 °C
929001113904	120V PAR38 17W 35D 4000K 1200 D AF SO	89 °C
929001131904	120V PAR38 13W 25D 2700K 900 D SO	80 °C
929001132004	120V PAR38 13W 25D 3000K 900 D SO	80 °C
929001132104	120V PAR38 13W 35D 2700K 900 D SO	80 °C
929001132204	120V PAR38 13W 35D 3000K 900 D SO	80 °C
929001174766	120V PAR38 11W 25D 3000K ND	75 °C


PAR38 LED

Order Code	Full Product Name	T-Case Maximum (Nom)	Order Code	Full Product Name	T-Case Maximum (Nom)
929001183404	120V PAR38 12W 35D 830 D ULW SO	72 °C	929001340104	17PAR38/EXPERTCOLOR/F40/940/DIM	90 °C
929001183504	120V PAR38 12W 35D 850 D ULW SO	72 °C	929001291204	16PAR38/AMB/F25/827/DIM ULW	70 °C
929001186204	17 PAR38/F25 2700 DIM Black	89 °C	929001291304	16PAR38/AMB/F25/830/DIM ULW	70 °C
929001193704	17 PAR38/F25 3000 DIM Black	89 °C	929001291404	16PAR38/AMB/F25/840/DIM ULW	70 °C
929001194104	17 PAR38/F25 3000 DIM Sliver	89 °C	929001291504	16PAR38/AMB/F25/850/DIM ULW	70 °C
929001202304	120V PAR38 32W 15D 3000K SO	95 °C	929001291604	16PAR38/AMB/F40/827/DIM ULW	70 °C
929001202404	120V PAR38 32W 25D 3000K SO	95 °C	929001291704	16.5PAR38/AMB/F40/830/DIM ULW	70 °C
929001266904	120V PAR38 32W 15D 3000K SO B	95 °C	929001291804	16PAR38/AMB/F40/840/DIM ULW	70 °C
929001267004	120V PAR38 32W 25D 3000K SO B	95 °C	929001292004	13.5PAR38/AMB/F25/827/DIM ULW	65 °C
929001285204	17PAR38/EXPERTCOLOR RETAIL/S8/930/DIM	90 °C	929001292104	13.5PAR38/AMB/F25/830/DIM ULW	65 °C
929001285304	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM	90 °C	929001292204	13.5PAR38/AMB/F25/840/DIM ULW	65 °C
929001285404	17PAR38/EXPERTCOLOR RETAIL/F40/930/DIM	90 °C	929001292304	13.5PAR38/AMB/F25/850/DIM ULW	65 °C
929001339404	17PAR38/EXPERTCOLOR/S8/927/DIM/120V	90 °C	929001292404	13.5PAR38/AMB/F40/827/DIM ULW	65 °C
929001339504	17PAR38/EXPERTCOLOR/F25/927/DIM/120V	90 °C	929001292504	13.5PAR38/AMB/F40/830/DIM ULW	65 °C
929001339604	17PAR38/EXPERTCOLOR/F40/927/DIM	90 °C	929001292604	13.5PAR38/AMB/F40/840/DIM ULW	65 °C
929001369804	17PAR38/EXPERTCOLOR/S8/940/DIM/120V	90 °C	929001318504	14PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	80 °C
929001285504	17PAR38/EXPERTCOLOR RETAIL/F25/930/DIM B	90 °C	929001319004	14PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	80 °C
929001339804	17PAR38/EXPERTCOLOR/F25/927/DIM B	90 °C	929001319604	12PAR38/AMB/835/F25/GL/DIM/FB/1PK 6/1	75 °C
929001286004	12PAR30S/EXPERTCOLOR RETAIL/F25/930/DIM	90 °C	929001320104	12PAR38/AMB/835/F40/GL/DIM/FB/1PK 6/1	75 °C
929001340004	17PAR38/EXPERTCOLOR/F25/940/DIM	90 °C			


Light Distribution Diagrams




19 W E26 3500 K PAR38 25D





19 W E26 3500 K PAR38 36D














14 W E26 3000 K PAR38 15D



14 W E26 3000 K PAR38 25D












Light Distribution Diagrams






PAR38 LED

Light Distribution Diagrams



PAR38 120V 17-90W 1200lm 8D 3000K E26 D

PAR38 120V 17-120W 25D 3000K E26 D WH















PAR38 120V 17-120W 40D 3000K E26 D




PAR38 120V 17-120W 25D 3000K E26 D BL

PAR30S 120V 12-75W 25D 3000K E26 D WH


Light Distribution Diagrams




Light Distribution Diagrams




LED Classic PAR38 14W E26 835 F25




LED Classic PAR38 14W E26 835 F40




LED Classic PAR38 12W E26 835 F25




LED Classic PAR38 12W E26 835 F40




PAR38_17W_1150lm 8D 2700K_E26




PAR38_17W_1150lm 25D 2700K_E26




PAR38_17W_1150lm 40D 2700K_E26



PAR38 17W 1300lm 25D 4000K E26















PAR38 17W 1300lm 40D 4000K E26















PAR38 17W 1300lm 8D 4000K E26


Accent Diagrams















Accent Diagrams








Accent Diagrams









Accent Diagrams















Accent Diagrams















Beam Diagrams















Beam Diagrams














Beam Diagrams



Beam Diagrams



Beam Diagrams



PAR38 LED

