



Smart solutions.
Strong relationships.

FANS RANGE

*Experience the gentle
breeze of nature*



Crompton Greaves Limited

Designed for Every Emotion !

Crompton Greaves Fans Division is proud to be the initiator of the Electric Fan revolution that has swept the sub-continent.

The production of fans started with Crompton Parkinson as early as 1937. The Fans Division's 70 years of experience has transformed the concept of the fan from a need, to an object of grandeur.

With a portfolio exceeding over 178 stunning models representing class and style, we've spread far and wide across applications and segments. We have extended our facilities from Bethora and Kundaim in Goa to a new factory at Baddi in Himachal Pradesh. We provide maximum customer satisfaction through a marketing network consisting of 23 branches spread over the country, and 4 regional sales offices in the metros of Delhi, Kolkata, Mumbai and Chennai.

Here's an attempt to inspire your imagination.

FANS RANGE

- ▶Luxury Underlight Fans
- ▶Decorative Fans
- ▶Star Rated Fans
- ▶Standard Fans
- ▶Table Fans
- ▶Pedestal Fans
- ▶Remote Fans
- ▶Wall Mounting Fans
- ▶Battery Operated Fans
- ▶Domestic Exhaust Fans
- ▶Speciality Fans
- ▶Industrial Fans

TAURUS

Available in 3 blades and 4 blades models with aerodynamically designed blades for maximum air thrust.

Electroplated, lacquered finish for an unique ethnic look.



Brass

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)	No. of Blades
1200	65	320	210	3
1300	65	305	215	4



Gunmetal



Copper



Nickel

LOTUS

Symbolizes purity, beauty and gentle serenity.

Attractive 2 colour combination to add rich decor to the room.



Topaz Brown

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	70	380	220

AVANCER

Broader and aerodynamically designed blades for maximum air delivery. Ornately designed shanks and motor lends a look of elegance.



Indigo Blue

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
900	56	420	155
1200	77	370	230
1300	82	310	240



Winter Glow



Bakers Brown



Silky Silver



Silver White

AMOUR

Aerodynamically designed for high speed and maximum air delivery. Available in attractive colour combinations. Innovatively designed blades.



Lavender

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	77	370	230



Coffee Brown



Pearl



Himalayan Grey

IMPERIAL

Cool exciting looks. Contrasting colour trims complements ceiling



Victorian Gold

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	74	380	230



Silver Royal



Coral Green



Candy Floss

DECORATIVE FANS

LERONE

Smooth flowing floral design blades with decorative shanks.



Lens Blue

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	80	360	225



Husky Gold



Ivory

SENORITA

Italian design with beautifully aligned petal shaped blades.



Neutral Violet

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr./min)
1200	75	370	225



Steel Green



Sandy Brown



White

AURA (Metallic Shades)

Ornamental design with attractive gold finish shanks & elegant broader blades.

Premium special finish fans.



Birken Effect

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
600	65	875	120
900	62	410	155
1050	65	360	190
1200	74	360	230
1400	84	285	270



Dusky Brown



Melange Beige



Titanium



Husky Gold



New White



Himalayan Grey



Granite

AURA

Ornamental design with attractive gold finish shanks & elegant broader blades.



Ivory

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
600	65	875	120
900	62	410	155
1050	65	360	190
1200	74	360	230
1400	84	285	270



Ruby



Brown



White

DEC'AIR

4 blades fans with decorative gold trims on the blades & decorative canopies.

White



Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	85	280	230
1400	87	265	270



Brown



Ivory

DECORATIVE FANS

CALIBER

Aerodynamically designed for high speed and maximum air delivery. Available in a range of attractive glittering metallic colour combinations. With decorative contrasting shanks and design on motor.



Glitter Gold

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	72	320	200



Sparkle Silver



Orchid Royal



Bakers Brown

HIGH SPEED DECORA

Ornamental design with gold finish shanks on motor & blades and gold ring on canopies.

Ginger Gold



Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
900	60	390	155
1050	66	370	195
1200	70	370	230
1400	80	280	270



Ivory



Aqua Gold



Brown



White



Lavender



Granite



Pearl

SCORPIO

Design incorporates power, grandeur & sheer elegance.
Gold finish ring on motor & trims.



Copper Metallic

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
600	54	870	115
900	60	355	135
1050	62	370	170
1200	70	340	210
1400	70	290	250



Caramel Gold



Burgundy



White

FLAVIA

Smooth curvature and aerodynamically designed 3 blades for maximum air thrust. Available in a range of attractive glittering metallic two tone color combinations.



Gold Green

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	73	380	215



Silver Blue



Gold Brown

VIVEAIR

Aerodynamically designed for high speed and maximum air delivery.



Lustre Brown

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	70	380	215



Butter Ivory

FLORA

Aerodynamically designed for high speed and maximum air delivery. Available in attractive glittering metallic color combinations. Floral Design trims for ethnic looks.



Chrome Light Blue

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	74	380	230



Chrome Opal White



Chrome Dark Blue

DECORATIVE FANS

LEO

Attractive lotus shaped gold finish shanks on 3 blades.
Gold ring on motor & canopies.



Lustre Brown

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	70	340	210



Opal White



Burgundy



Caramel Gold

WHIRLWIND DECORA

Dew drop shaped shanks on blades.
Attractive decorative trim on motor.
Wine glass shaped canopies.



Ivory



Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
600	68	830	95
1200	70	350	210
1400	82	390	250



Opal White



Lustre Brown

OLGA

Diverging blades, decorative gold line on motor.



White

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
600	65	875	120
1200	74	360	230
1400	84	285	270



Brown



Ivory

EMBERA

Aerodynamically designed for high speed and maximum air delivery. Available in 2 attractive colors. With unique decorative shanks and deco ring on motor and canopies.



Topaz

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	70	340	215



Light Pink

PAVAN DECO

Aerodynamically designed for high speed and maximum air delivery. Decorative shanks and ring on motor.



Ivory

Specifications

Sweep (in mm)	Power Input (in Watts)	Speed (in RPM)	Air Delivery (cu. mtr/min)
1200	70	380	200

Selection Criteria And Recommended Minimum Fresh Air Supply Selection Criteria

APPLICATIONS	NO. OF AIR CHANGES / HOUR
Residences, Storage Areas	1-2
Libraries, Class Rooms	2-4
Assembly Halls, Labs	4-6
Lavatories, Bars Hospital Wards	6-8
Theaters, Workshops, Garages	6-10
Cafes, Canteens	8-12
Restaurants, Laundries	10-15
Bakeries, Canteen Kitchens	15-30
Boiler Houses, Engine Rooms	15-30
Foundaries & Furnace Rooms	30-60

Recommended Minimum Fresh Air Supply

AIR SPACE / PERSON	AIR SUPPLY / PERSON	AIR CHANGES / HOUR
3 m ³	61 m ³ / HOUR	20
6 m ³	40 m ³ / HOUR	6.5
9 m ³	29 m ³ / HOUR	3.2
12 m ³	21 m ³ / HOUR	1.8

General Guidelines for Selection of Ceiling Fans & Domestic Exhaust Fans

MODEL SIZE	SWEEP (MM)	SUITABLE FOR ROOM SIZE
Ceiling Fan	600 mm	For Small Shops, Cabins & Toilets
Ceiling Fan	750 mm	6 x 10 Feet
Ceiling Fan	900 mm	7 x 10 Feet
Ceiling Fan	1050 mm	10 x 10 Feet
Ceiling Fan	1200 mm	12 x 13 Feet
Ceiling Fan	1400 mm	14 x 16 Feet
Domestic Exhaust Fan	150 / 200 mm	6 x 6 x 9 Feet
Domestic Exhaust Fan	225 mm	8 x 8 x 9 Feet
Domestic Exhaust Fan	300 mm	10 x 8 x 9 Feet

For large halls, auditoriums, offices, install two or more ceiling fans with a space as specified below.

SWEEP OF FAN	CENTER DISTANCE
900 mm	6 Feet
1050 mm	7 Feet
1200 mm	8 Feet
1400 mm	10 Feet

REGIONAL SALES OFFICES

NORTHERN REGION

- Delhi** 3rd Floor, Express Bldg., 9-10 Bahadur Shah Zafar Marg, Near ITO Crossing, Delhi-110 002
Tel.: (011) 23460 700 / 23460 721 Fax: (011) 23324360
- Lucknow** Saran Chambers II, 3rd Floor, 5 Park Road, Lucknow - 226 001 Tel.: (0522) 710 2051 / 71 / 60 Fax: (0522) 710 2058
- Jalandhar** BXII-407, 2nd Floor, Near B.S.F Chowk, Ladowali Road, Jalandhar - 144001
Tel Nos. (0181) 3051307, 3051395, Fax : (0181) - 2226342
- Jaipur** Church Road, P. O. Box -173, Jaipur -302 001 Tel.: (0141) 301 8800/801/822 Fax: (0141) 236 5371

EASTERN REGION

- Kolkata** 50, Chowringhee Road, Kolkata - 700 071 Tel.: (033) 2282 9681-85 Fax: (033) 2282 9942
- Guwahati** C/o Assam Investment & Construction Co., Near Car Ghar, G. S. Road., Ganeshguri, Guwahati - 781 005. Tel.: (0361) 234 0709
- Patna** Sahyogi Press Marg, Exhibition Road, Patna - 800 001 Tel: (0612) 2500751, 3261594
- Ranchi** Ess Ess Agencies, 3, Westend Park, Kaju Bagan, Near DAV Junior School, Hehal, Ratu Road, Ranchi - 834 005 Tel.: (0651) 251 2095
- Bhubaneswar** Janpath Tower, 3rd Floor, Ashok Nagar, Unit II, Bhubaneswar - 751 009 Tel.: (0674) 253 1128 / 253 1429 / 253 1277
Fax: (0674) 253 3521

WESTERN REGION

- Mumbai** Western Region, Kanjur Marg (E), Mumbai - 400 042 Tel.: (022) 6755 8000/8606/8629-31 Fax: (022) 6755 8669/2579 5158
- Pune** Premium Point Building, 4th Floor, Opp. Modern High School, Junglee Maharaj Road, Pune - 411 005 Tel.: (020) 2553 4675-77
Fax: (020) 2553 4684
- Nagpur** 3, West High Court Road, L. B. Shastri Chowk, Dharampeth, Nagpur - 440 010 Tel.: (0712) 6649737 Fax: (0712) 253 7196
- Ahmedabad** 906 - 916, Sakar II, Near Ellis Bridge Police Stn., Ahmedabad - 380 006 Tel.: (079) 4001 2000/2201/2266-69 Fax: (079) 4001 2222
- Indore** 103 - B, Apollo Trade Centre, 2B Rajgarh Kothi, Mumbai-Agra Road, Indore - 452 001 Tel.: (0731) 249 8269/8271/5531
Fax: (0731) 406 5621
- Raipur** 5, New Tilak Nagar, Beside Sai Care Hospital, Avanti Vihar, Raipur - 492 001 Tel.: (0771) 402 2214/15 Fax: (0771) 244 4577

SOUTHERN REGION

- Chennai** 3, Dr. MGR Salai (K. H. Road), Nungambakkam, Chennai - 600 034 Tel.: (044) 4224 7500/7600/7575 Fax: (044) 2823 1973/2823 4112
- Madurai** 2, 3 Mangayarkarasi College Road, Paravai, Madurai - 625 402 Tel.: (0452) 266 7771/7697 Fax: (0452) 266 7772
- Coimbatore** No. 658 - 664, Rajalakshmi Plaza, 100ft Road, Gandhipuram, Coimbatore - 641 012 Tel.: (0422) 252 6453/1829/1830 Fax: (0422) 252 5334
- Kochi** Cherupushpam Bldg., 5th Floor, 300 - 6, Shanmugham Road, Ernakulam, Kochi - 682 031 Tel.: (0484) 237 0860-863/236 0240
Fax: (0484) 237 3738
- Bangalore** First Floor, Janardhana Towers, 562/640, Bannerghatta Main Road, Bilekehalli, Bangalore - 560 076 Tel.: (080) 4139 1908/1909
Fax: (080) 4139 1900
- Secunderabad** Minerva Complex, 4th Floor, 94, Sarojini Devi Road, Secunderabad - 500 003 Tel.: (040) 4000 2300/2347/2345/2309
Fax: (040) 4000 2340

For Any Service Related Queries, Contact: 0832-233 1230. E-mail: custcare.fan@cgglobal.com

For Export Related Queries, Contact: +91-22-6755 8955 / 59. Fax: +91-22-2577 4066. E-mail: cgi@cgglobal.com

Crompton Greaves Limited

Fans Division

Plot No. 1, Goa IDC Industrial Estate, Bethora, Ponda,
Goa 403 409, India
T : +91 832 233 1230 F : +91 832 233 0155

Registered Office:

CG House, 6th Floor, Dr. Annie Besant Road, Worli,
Mumbai 400 030, India
W : www.cgglobal.com

*In our continuous efforts of striving to give you the best, design and specifications are subject to change without prior notice.

