





Cleanroom & Healthcare

## CLEANLUX FLUORESCENT

	CAT REF.	WATTAGE	CASE LOT	ALP (₹)
	CRTCL228EBB	2X28W T5	1	On Request
	CRTCL254EBCW	2X54W T5	1	On Request
<p>Recessed, Top Opening Energy Saving Cleanroom Luminaire, suitable for Walkable -Metal/ RCC Ceilings. Luminaire is provided with unique adjustable mounting system as per depth of the ceiling. IP 65 housing.</p>				
	CRTCL414EBB	4X14W T5	1	On Request
<p>Recessed, Top Opening Energy Saving Cleanroom Luminaire, suitable for Walkable -Metal/ RCC Ceilings. Luminaire is provided with unique adjustable mounting system as per depth of the ceiling. IP 65 housing.</p>				
	CRCCL218EB(300)	2x18W CFL	1	On Request
<p>Recessed, Top Opening CFL Cleanroom Luminaire, suitable for Walkable -Metal/ RCC Ceilings. Luminaire is provided with unique adjustable mounting system as per depth of the ceiling. IP 65 housing</p>				
	CRCCL255EBCWKSL	2x55W CFL	1	On Request
	CRCCL355EBCWKSL	3x55W CFL	1	On Request
	CRCCL455EBCWKSL	4x55W CFL	1	On Request
<p>Recessed, Top Opening CFL Cleanroom Luminaire, suitable for Walkable -Metal/ RCC Ceilings. Luminaire is provided with unique adjustable mounting system as per depth of the ceiling. IP 65 housing</p>				
	CRTCL240EB	2x36 40 FTL	1	On Request
<p>Recessed, Top Opening FTL Cleanroom Luminaire</p>				

Also available with < 10% THD and constant wattage APFC electronic ballast on request

	CAT REF.	WATTAGE	CASE LOT	ALP (₹)
	CRFW12414EBB	4x14 T5	2	7600.00
	Recessed, Bottom Opening Energy Saving Cleanroom Luminaire, with Clear Acrylic, UV Resistant cover, suitable for Modular Ceilings. Also available in SS Frame. IP 65 housing			
	CRFW12218EB(300)	2x18 CFL	2	3500.00
	Recessed, Bottom Opening CFL Cleanroom Luminaire, with Clear Acrylic, UV Resistant cover, suitable for Modular Ceilings. Also available in SS Frame. IP 65 housing			
	CRFW12236EB(255)	2x36 CFL	2	4100.00
	Recessed, Bottom Opening CFL Cleanroom Luminaire, with Clear Acrylic, UV Resistant cover, suitable for Modular Ceilings. Also available in SS Frame. IP 65 housing			
	CRFW12236EB(595)	2x36 CFL	2	6680.00
	CRFW12336EB(595)	3x36 CFL	2	7310.00
	CRFW255EBCWKS	2x55 CFL	1	On Request
	CRFW355EBCWKS	3x55 CFL	1	On Request
	CRFW455EBCWKS	4x55 CFL	1	On Request
	Recessed, Bottom Opening CFL Cleanroom Luminaire, with Clear Acrylic, UV Resistant cover, suitable for Modular Ceilings. Also available in SS Frame. IP 65 housing			

Also available with < 10% THD and constant wattage APFC electronic ballast on request